# **CHIPQUIK®**

## **Thermal Paste**

### Safety Data Sheet (SDS)

www.chipquik.com

To comply with European CLP Regulation 1272/2008, US 29CFR 1910.1200 OSHA's Hazard Communication Standard, and Australian NOHSC: 1008 [2004] and ADG Code 7.4

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Chip Quik Thermal Paste: TC2, TC3

SYNONYMS: Heat Sink Compound

PART NUMBERS: TC2-10G, TC2-20G, TC2-50G, TC3-1G, TC3-3.5G, TC3-10G, TC3-600G

MANUFACTURER: Chip Quik Inc.

ADDRESS: 931-3909 Witmer Rd., Niagara Falls, NY 14305 (USA)

3rd Floor, 207 Regent Street, London W1B 3HH (UK and EU)

8-1500 Sandhill Dr., Ancaster, ON L9G 4V5 (Canada)

42A Crimea Street, C/O A03886, Parramatta, NSW, 2150 (Australia)

**PHONE**: (508) 477-2264

EMERGENCY PHONE: (800) 424-9300 (USA and Canada 24/7 CHEMTREC)

+44 20 3868 7152 (UK and EU 24/7) +61 2 8607 7057 (Australia 24/7)

**REVISION DATE:** 2023/03/03

REVISION NUMBER: 1.6

REVISED BY: Chip Quik Product Safety

**PRODUCT USE:** Mounting heat sinks, fills gaps and imperfections to improve thermal transfer.

#### 2. HAZARD IDENTIFICATION

Classified in accordance with European CLP Regulation 1272/2008

Not a hazardous substance or mixture.

CHEMICAL NAME: NA
CHEMICAL FAMILY: Mixture
CHEMICAL FORMULA: Proprietary

ROUTES OF ENTRY: Inhalation, Ingestion, Skin/Eye Contact

TARGET ORGANS: NA

GHS/CLP:

Not a hazardous substance or mixture.

#### **GHS/CLP LABEL ELEMENTS:**

Not a hazardous substance or mixture.

#### OTHER HAZARDS:

None known.

#### **SECTION 2 NOTES:**

Chip Quik Inc. does not recommend, manufacture, market, or endorse any of its products for human consumption.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Classified in accordance with European CLP Regulation 1272/2008

Hazardous Ingredients (1)	C.A.S. Number	Weight Percent	OSHA PEL mg/m <sup>3</sup>	ACGIH TLV TWA mg/m <sup>3</sup>	LD 50 Ingested g/Kg	LD 50 Inhaled g/m <sup>3</sup>
No hazardous ingredients						
Non-Hazardous Ingredients	C.A.S. Number	Weight Percent	OSHA PEL	ACGIH TLV TWA	LD 50 Ingested	LD 50 Inhaled

C.A.S. Number	Weight Percent	OSHA PEL	ACGIH TLV TWA	LD 50 Ingested	LD 50 Inhaled
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	g/Kg	g/m³
63148-62-9	40-50	NE	NE	NE	NE
1344-28-1	50-75	NE	NE	NE	NE
7782-40-3	0-10	NE	NE	NE	NE
	63148-62-9 1344-28-1	63148-62-9 40-50 1344-28-1 50-75	mg/m³ 63148-62-9 40-50 NE 1344-28-1 50-75 NE	mg/m³         mg/m³           63148-62-9         40-50         NE         NE           1344-28-1         50-75         NE         NE	mg/m³         mg/m³         g/Kg           63148-62-9         40-50         NE         NE         NE           1344-28-1         50-75         NE         NE         NE

#### **SECTION 3 NOTES:**

(1) Per 29 CFR 1910 the mixture has not been tested as a whole. All hazardous components, which comprise 1% of the mixture (0.1% carcinogenic), are listed. Percentages of individual components are not listed as this information is considered a trade secret.

#### 4. FIRST-AID MEASURES

#### Emergency first aid procedures:

EYES: Flush with plenty of water, contact a physician. If contact lenses can be removed easily, flush eyes without contact lenses.

**SKIN:** Wash affected area with plenty of warm, soapy water. If irritation persists, seek medical attention,

**INGESTION:** Call a physician or Poison Control Center immediately. Do not induce vomiting. Drink large amounts of water. Never give anything by mouth to an unconscious person

INHALATION: Remove to fresh air. Support respiration if required. If not breathing, seek immediate medical attention.

5. FIREFIGHTING MEASURES

**EXTINGUISHING MEDIA:** Dry chemical, foam

Alcohol-resistant foam Carbon Dioxide (CO2)

Water Spray

SPECIAL FIRE FIGHTING PROCEDURES: Use NIOSH-approved self-contained Breathing Apparatus and full protective clothing if involved in a fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: May release toxic metal oxides, carbon oxides, silicon oxides and formaldehyde.

**6. ACCIDENTAL RELEASE MEASURES** 

PRECAUTIONS AND EQUIPMENT: Material is extremely thick and will not flow out.

**ACCIDENTAL RELEASE MEASURES:** If material spills or leaks use a spatula to collect and place it in a plastic or glass jar. Remove traces of residue using cloth rags or paper towels. Follow on-site personal protective equipment recommendations.

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. Collect spillage.

#### **SECTION 6 NOTES:**

See Sections 2, 4, and 7 for additional information.

#### 7. HANDLING AND STORAGE

**HANDLING/STORAGE:** Keep containers tightly closed when not in use. Use care to avoid spills. Avoid inhalation of fumes or dust. Avoid contact with eyes, skin, and clothing. Store in a closed corrosive resistant container, with corrosive resistant liner, in cool dry place. Wear appropriate personal protective equipment when working with or handling. Always wash hands thoroughly after handling this product. Dispose of following Federal, State/Provincial, and Local regulations.

**OTHER PRECAUTIONS:** Empty containers may retain product residues in vapor, liquid, and/or solid form. All labeled hazard precautions should be observed.

WORK HYGIENIC PRACTICES: Cosmetics/Food/Drink/Tobacco should not be consumed or used in work areas. Always wash hands after handling material and before applying or using cosmetics/food/drink/tobacco.

#### **SECTION 7 NOTES:**

Keep out of reach of children. Not for internal consumption.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance Name	End Use	Exposure Route	Potential Health Effects	Value
NIA				

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance Name	Environmental Compartment	Value

Also see section 3.

ENGINEERING CONTROLS: Use only with production equipment designed for use with thermal paste.

VENTILATION: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below TLVs.

**RESPIRATORY PROTECTION:** A (US: NIOSH; EU: EN 140:1998, EN 14387:2004 A) approved air-purifying respirator with fume/organic chemical cartridge should be worn when airborne concentrations may be exceeded. General and local exhaust ventilation is the preferred means of protection.

EYE PROTECTION: Use with appropriate eye protection: Goggles or face shield (EU: EN 166-S 3 9).

SKIN PROTECTION: Protective gloves should be worn when the possibility of skin contact exists (EU: EN 374-1:2003).

PROTECTIVE CLOTHING OR EQUIPMENT: Work clothes should be worn and laundered in accordance with current standards (US: OSHA).

**WORK HYGIENIC PRACTICES:** Cosmetics/Food/Drink/Tobacco should not be consumed or used in areas where solder products may be used. Always wash hands after handling soldering products and before applying or using cosmetics/food/drink/tobacco.

**OTHER:** Maintain eye wash stations in work areas. Avoid the use of contact lenses in high fume areas. Clean protective equipment regularly. Clean up spills immediately.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Grey paste ODOR: Odorless **ODOR THRESHOLD:** NE pH as SUPPLIED: NA **MELTING POINT:** NA FREEZING POINT: NA **INITIAL BOILING POINT:** NA **BOILING RANGE:** NA **FLASH POINT:** 265°C **EVAPORATION RATE:** NA FLAMMABILITY (solid): NF **UPPER/LOWER FLAMMABILITY:** NF **UPPER/LOWER EXPLOSIVE LIMITS:** NE VAPOR PRESSURE (mmHg): NΑ VAPOR DENSITY (AIR = 1): NA **RELATIVE DENSITY:** 25 **SOLUBILITY IN WATER:** NA PARTITION COEFFICIENT (n-octanol/water): NF **AUTOIGNITION TEMPERATURE:** NE **DECOMPOSITION TEMPERATURE:** ΝE VISCOSITY: NA

#### **10. STABILITY AND REACTIVITY**

STABILITY: Stable under normal conditions

CONDITIONS TO AVOID (STABILITY): NE

INCOMPATIBILITY (MATERIAL TO AVOID): Oxidizing materials, acids, hydrogen peroxide, bases

HAZARDOUS DECOMPOSITION/BY-PRODUCTS: Harmful organic fumes and toxic oxide fumes may form at elevated temperatures.

Formaldehyde.

POSSIBILITY OF HAZARDOUS REACTIONS: Use at elevated temperatures may form highly hazardous compounds. Can react with strong

oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Skin Contact Ingestion

Eye Contact

ACUTE TOXICITY:

SKIN CORRISION/IRRITATION:

SERIOUS EYE DAMAGE/IRRITATION:

RESPIRATORY OR SKIN SENSITIZATION:

GERM CELL MUTAGENICITY:

NA

OSHA: NA ACGIH: NA NTP: NA IARC: NA

REPRODUCTIVE TOXICITY: NA
STOT-SINGLE EXPOSURE: NA
STOT-REPEATED EXPOSURE: NA
ASPIRATION HAZARD: NA

#### **SECTION 11 NOTES:**

CARCINOGENICITY:

This product has not been tested as a whole to determine its hazards. Synergistic or additive effects of the above chemicals are unknown, as are the effects of exposure to these chemicals in addition to others present in the work place. See Section 2 for additional health hazards.

#### 12. ECOLOGICAL INFORMATION

TOXICITY: NE PERSISTENCE AND DEGRADIBILITY: NE BIOACCUMULATIVE POTENTIAL:

Product/Ingredient Name LogP<sub>ow</sub> BCF Potential

NΙΔ

MOBILITY IN SOIL: NE RESULT OF PBT and vPvB ASSESSMENT: NA OTHER ADVERSE EFFECTS: NE

**WASTE DISPOSAL METHOD:** Scrap and waste should be recycled or stored in a dry, sealed container for later disposal. Disposal must be in accordance with Federal, State/Provincial, and Local Regulations.

**OTHER PRECAUTIONS:** Avoid skin & eye contact, inhalation & ingestion of fumes and material. Wash contaminated clothing before reuse. Keep away from children.

#### 14. TRANSPORT INFORMATION

Transport in accordance with applicable regulations and requirements.

UN Number:
UN Proper Shipping Name:
Packaging Group:
Environmental Hazards:
Not available
Not applicable
None

TRANSPORT HAZARD CLASSES:

US DOT Hazardous Material Classification:

Water Transportation:

IATA Hazardous Material Classification:

ADR Road Regulations

IMDG Sea Regulations

ADG Land Transportation

Non-Hazardous

Not regulated

Not regulated

Not regulated

#### 15. REGULATORY INFORMATION

All ingredients used to manufacture this product are listed on the EPA TSCA Inventory. Finished product is not listed on the EPA TSCA Inventory.

U.S. FEDERAL REGULATIONS:
STATE REGULATIONS:
INTERNATIONAL REGULATIONS:
AUSTRALIAN REGULATIONS:
Not regulated
Not regulated
Not regulated

#### **16. OTHER INFORMATION**

LEGEND:

**ACGIH** American Conference of Governmental Industrial Hygienists

ADG Australian Dangerous Goods Code

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

AICS Australian Inventory of Chemical Substances

BCF Bioconcentration factor C.A.S. Chemical Abstract Service

**CLP** Classification, Labeling and Packaging

DOT Department of Transportation
EC Effective Concentration

EPA Environmental Protection Agency
GHS Global Harmonized System

HMIS Hazardous Material Identification System
IARC International Agency for Research on Cancer
IATA International Air Transport Association

IMDG International Maritime Dangerous Goods Code

LC Lethal Concentration
LD Lethal Dose

NA Not available
NE Not established

NIOSH National Institute for Occupational Safety & Health

NOEC No observed effective concentration

NOHSC National Occupational Health and Safety Commission (Australia)

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit
Pow Octanol water partition coefficient

SDS Safety Data Sheet

STEL Short-Term Exposure Limit
STOT Specific target organ toxicity
TLV Threshold Limit Value
TSCA Toxic Substance Control Act
TWA: Time Weighted Average

**US DOT:** United States Department of Transportation

#### PREPARATION INFORMATION:

This update supersedes all previously released documents.

#### DISCLAIMER

The information and recommendations contained within this publication have been compiled from sources believed to be reliable and to represent the best information available to Chip Quik at the time of issue. No warranty, guarantee, or representation is made by Chip Quik nor does Chip Quik assume any responsibility in connection there within; nor can it be assumed that all acceptable safety measures or other safety measures may not be required under particular or exceptional conditions or circumstances. The data on this Safety Data Sheet relates only to this product and does not relate to use with any other material or in any process. All chemical products should be used only by, or under the direction of, technically qualified personnel who are aware of

the hazards involved and necessity for reasonable care in handling. Hazard communication regulations require that employees must be trained on how to use a Safety Data Sheet as a source for hazard information.

Copyright © 1994-2023 Chip Quik® Inc.