	Material Comp © Copyright 2005. Il International and Par	PC, Bannockb	urn, Illinois. A	All rights reserved untions.	under both	This docume level parts, t	ent is a declara he declaration	ation on a tion of a tion	of the substances mpasses all lowe	within th r level ma	e manufactur aterials for w	er listed i hich the n	tem. Note: nanufacture	if the item is an as er has engineering	sembly with lowe responsibility.	
1752-21.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x				Form Type Distribute						neous Materi	terials and Mfg Information				
Supplie	r Information															
Company	name*	Company unique ID				Unique ID Authority					Response Date*					
onsemi												2023-06-08				
Contact N	lame	Title - Contact				Phone - Contact*					Email - Contact*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
uthorize	ed Representative*		Title - Representative				Phone - Representative*				Email - Representative*					
Product-l	Env-Stewards		Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com					
	Requester Item Number Mfr Iten		n Number Mfr Item Name				Effective Date Version Man		Manufacturing Site Weig		Weight*	UOM	Unit Type			
		LV5680NPVC-		C-XH Car Audio Power Supply			2023-06-08						2800.0	mg	Each	
/Ianufa	cturing Proccess Informa	tion		,				<b>I</b>						I	- I	
	Terminal Plating / Grid Array Material		Terminal Base Alloy J-STD-		J-STD-020 MSI	L Rating	Peak Pro	ocess Body Temperatur		ure Max Time at Peak Tem		Tempera	ure Num	ber of Reflow Cyc	les	
	contains Bi		CU Alloy NA			0		С	C 30		seconds 3					
omments	8															
or more	information regarding material	composition	please refer to	o page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chro	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybromina contains a RoHS restricted substance inexces encompass all such components. Supplier cer as of the date that Supplier completes this for Company acknowledges that Supplier may h independently verified information provided certification in this paragraph. If the Company	ated biphenyls and/or polybrominated dip s of an applicable quantity limit, please in iffies that it gathered the information it pr m.Supplier acknowledges that Company ave relied on informationprovided by oth by others, Supplier agrees that, at a minir and the Supplier enter into a written agr esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substa ndicate below which, if any, RoHS exemption ovides in this form using appropriate methoo will rely on this certification in determining ers in completing this form, and that Supplie num, itssuppliers have provided certification eement with respect to the identified part, the Company's remedies for issues that arise reg	nce") in exco n you believe ls to ensure i the compliar r may not ha s regarding t terms and co	e may apply. If the part is an assembly with low s accuracy and that such information is true an ce of its products with European Union member de independently verified such information. Ho neir contributions to the part, and those certifica	ove. If a homogeneous material within the part er level components, the declaration shall d correct to the best of its knowledge and belief, er state laws that implement the RoHS Directive. wever, in situations where Supplier has not ations are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 4 - Item(	s) does not contain RoHS restricted subst	ances per the definition above except for sele	ected exempt	ions Supplier Acceptance	* Accepted							
Exemption: 7a: Lead in high melting temp	erature type solders (i.e. lead based sol	der alloys containing 85% by weight or m	ore lead).									
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required Requester) and click on Submit Form to h			e drop-dowi	a. This will display the signature area. Digita	lly sign the declaration (if required by the							
Supplier Digital Signature	astislav Drska	Le										

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	6.87	mg	Supplier	Silicon (Si)	7440-21-3		6.8446	mg
			Supplier	Polyimide	Proprietary Data		0.0254	mg
Die Attach	2.0	mg	Supplier	Silver (Ag)	7440-22-4		0.06	mg
			А	Lead (Pb)	7439-92-1	7a	1.88	mg
			Supplier	Tin (Sn)	7440-31-5		0.04	mg
			Supplier	Copper (Cu)	7440-50-8		0.02	mg
lead Frame	2002.19	mg	Supplier	Silver (Ag)	7440-22-4		2.0022	mg
			Supplier	Tin (Sn)	7440-31-5		5.2057	mg
			Supplier	Zinc (Zn)	7440-66-6		5.0055	mg
			Supplier	Chromium (Cr)	7440-47-3		5.4059	mg
			Supplier	Copper (Cu)	7440-50-8		1984.5707	mg
Mold Compound-Black	754.61	mg		Organic Phosphorus compound	proprietary data		2.2638	mg
			Supplier	Phenolic Resin	Proprietary Data		46.7858	mg
			Supplier	Epoxy Phenol Resin	Proprietary Data		82.2525	mg
			Supplier	Carbon Black (C)	1333-86-4		2.2638	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		77.7248	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		543.3192	mg
Plating	33.15	mg	В	Bismuth (Bi)	7440-69-9		0.1989	mg
			Supplier	Tin (Sn)	7440-31-5		32.9511	mg
Wire Bond - Cu	1.18	mg	Supplier	Copper (Cu)	7440-50-8		1.18	mg