© Copyri	al Composition D ight 2005. IPC, Bannoc onal and Pan-American	kburn, Illinois. A	All rights reserved untions.	nder both	This docume level parts, th	ent is a declar he declaration	ration of t n encomp	he substances basses all low	within the er level mat	manufactur erials for wl	er listed ite hich the m	em. Not anufact	te: if the ite urer has en	em is an ass gineering r	embly with lowe esponsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					als and Mf	g Infori	mation		
Supplier Information															
Company name*	Company un	Company unique ID			Unique ID Authority					Response Date*					
onsemi											2023-06-08				
Contact Name	Title - Conta	Title - Contact			Phone - Contact*					Email - Contact*					
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA					Product-Env-Stewards@onsemi.com					
Authorized Representative*	Title - Repre	Title - Representative			Phone - Representative*				Email - Representative*						
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com						
Requester Item Num	Requester Item Number Mfr Iten		n Number Mfr Item Name			Effective Date Version Manuf		Manufactu	nufacturing Site		Veight*	U	ОМ	Unit Type	
	NCP1	NCP1562ADBR2G HI PERI		PERF RESET PWM CONTLR		2023-06-08		PH1		H1		45.4 mg		g	Each
Manufacturing Proccess	Information														1
Terminal Plating / Gri	Plating / Grid Array Material Terminal Base A		Alloy	J-STD-020 MSL Rating		Peak Process Body Tempe		dy Temperatu	ture Max Time at Peak Te		Temperatu	ire Nu	umber of R	eflow Cycl	es
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	J Alloy 1			260		C	30		second	ls 3			
Comments															
evel 1 - maximum time at peak	temperature during	soldering is 10-3	0 seconds												
or more information regardin	g material compositio	n please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed				
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth					
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of				
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted				
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all				
Exemption List Version	EL-2011/534/EU								
Declaration Signature									
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.									
Supplier Digital Signature Ra	stislav Drska	Le							

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	2.0	mg	Supplier	Silicon (Si)	7440-21-3		2	mg	
Die Attach	1.32	mg	Supplier	Silver (Ag)	7440-22-4		0.99	mg	
			Supplier	Epoxy resins	129915-35-1		0.33	mg	
Lead Frame	20.76	mg	Supplier	Silver (Ag)	7440-22-4		0.4152	mg	
			Supplier	Zinc (Zn)	7440-66-6		0.0249	mg	
			Supplier	Iron (Fe)	7439-89-6		0.4879	mg	
			Supplier	Copper (Cu)	7440-50-8		19.8258	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0062	mg	
Mold Compound-Black	19.0	mg		Epoxy Phenol Resin	proprietary data		1.995	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		17.005	mg	
Plating	2.12	mg	Supplier	Palladium (Pd)	7440-05-3		0.1611	mg	
			В	Nickel (Ni)	7440-02-0		1.9292	mg	
			Supplier	Gold (Au)	7440-57-5		0.0297	mg	
Wire Bond - Au	0.2	mg	Supplier	Gold (Au)	7440-57-5		0.2	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).