



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER	
ORIGINAL	

(1)






## NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




		SW REFERENCE NO.: 627 C	OMBO ASSEMBLY		
	COMBINATION	D-SUB	DRAWN: C.B	DATE: JAN. 01/201	9
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
YOUR CONNE	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-24W7624-1N1		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-24W	7624-1N1	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

1



5W5 Male

5W5 Female

COMPLIANT


3W3 / 3WK3

8W8 Male


5W1 Male/Female

7W2 Male/Female






21W4 Male/Female



627-24W7624-1N1

		33.30 33.30 4.660 1.29 1.29 4.20 5.00 1.29 5.00 5.00 1.29 5.00 5.0		63.50 31.75 00 9.70 9 4 6 0 4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- see
		11W1 Male/Female	27W2 Male/Femal	e	
47.06 14.48 14.48 90 90 90 90 90 90 90 90 90 90	W8 Female 31.75 $72.83$ $72.97$ $7$			e3.50 31.75 15.24 ++++++++ +++++++++++++++++++++++++++	
		17W2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ØA	47.05 23.63 		47.05 23.03 4 4 4 4 4 4 4 4 4 4 4 4 4	٩
		SW RE			
	COMBIN	ATION D-SUB	DRAWN: C.B	DATE: JAN. 01/201	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE FROFERTT OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF	4
			DRAWING NUMBER: 627-24W7624-1N1 ISSUE		ISSUE

UROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 목





13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
MS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
CTIVES IANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-24W7624-1N1		ISSUE
			PART NUMBER: 627-24W	/7624-1N1	1



THIS SERIES FULLY CONFORMS THE EUROPEAN UNION DIRECT 2011/65/EU FOR RoHS COMPLIA