



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

(1)






NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




		SW REFERENCE NO.: 629 C	OMBO ASSEMBLY	
COMBINATION	COMBINATION D-SUB		DATE: JAN. 01/20	19
			DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-17W2240-5N5		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 629-17W	2240-5N5	1





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

11W1 Male/Female

17W2 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE

2.77

27W2 Male/Female

21W4 Male/Female




PCB EDGE

21W1 Male/Female





		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-17V	/2240-5N5	ISSUE
			PART NUMBER: 629-17V	/2240-5N5	1

5W5 Female










CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female



31.75

THESE DRAWINGS AND SPECIFICATIONS

SHALL NOT BE REPRODUCED, OR COPIED

MANUFACTURE OR SALE OF APPARATUS

ARE THE PROPERTY OF EDAC INC..AND


OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.

36W4 Female



13W6 Male





22.18

2.77

20.78

20.7

13.72

PCB EDGE



24.77

PCB EDGE

43W2 Female



17W5 Male






COMBINATION D-SUB


EDAC INC

TORONTO, ONTARIO

CANADA







YOUR CONNECTION TO QUALITY & SERVICE

