


## Data sheet | Item number: 706-3033/500-300

System cable; for Schneider Modicon TM3; 2 analog outputs; Length: 3 m;  
Conductor cross-section: 0.25 mm<sup>2</sup>



[www.wago.com/706-3033/500-300](http://www.wago.com/706-3033/500-300)



Color coding acc. to DIN VDE 47100		15 poles Sub-D connector		PLC connector	
		Pin number	Wiring	Pin number	Signal
White		1	0+	4	Q0+
Brown		2	0-	5	Q0-
Green		3	1+	8	Q1+
Yellow		4	1-	9	Q1-
Grey		5	2+	nc	
Pink		6	2-	nc	
Blue		7	3+	nc	
Red		8	3-	nc	
Black		9	+24V	1	+24V
Violet		10	0V	2	0V
Grey-Pink		11	nc	nc	
Red-Blue		12	nc	nc	
White-Green		13	nc	nc	
Brown-Green		14	nc	nc	
White-Yellow		15	nc	nc	
Shield		Connected to Sub-D			

## Data Notes

Note When using more than 10 wires, the maximum current per wire must be reduced to 1 A.

## Electrical data

Inputs/outputs	2 analog inputs
Operating voltage	≤ AC/DC 35 V
Current per wire (max.)	2 A

## Compatibility

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

**Schneider**

Schneider Modicon TM3

TM3 AQ2(G)

**Connection data**

Cable type

LIYCY

Color code

per DIN VDE 47100

**Connection 1**

Connector

D-subminiature female connector

Pole number 1

15

Connection type 1

System

Wire cross-section

0.25 mm<sup>2</sup>**Connection 2**

Connector 2

TM3 AQ2(G)

Pole number 2

11

Connection type 2

System

**Physical data**

Cable length

3 m

**Material Data**

Weight

326.8 g

**Environmental requirements**

Ambient temperature (operation)

-20 ... +50 °C

**Commercial data**

ETIM 8.0

EC000237

ETIM 7.0

EC000237

PU (SPU)

1 pcs

Packaging type

bag

Country of origin

FR

GTIN

4055143582377

Customs tariff number

85444290900

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

RoHS Compliance Status

Compliant, No Exemption

---

## Downloads

### Documentation

#### System Description

WAGO System Wiring, Selection Guide

pdf

Download

This guide will help you select the appropriate interface modules and system cables for the controller you are using.

---

545.9 kB

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 706-3033/500-300

URL

Download

System cable; for Schneider Modicon TM3; 2 analog outputs; Length: 3 m; Conductor cross-section: 0.25 mm<sup>2</sup>

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.