


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




| ISSUE NUMBER | |
|--------------|--|
|--------------|--|

(1)

ORIGINAL






NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Insulator resistance: 1000V AC rms} \\ \mbox{Insulator resist$




| | | | SW REFERENCE NO.: 629 COMBO ASSEMBLY | | | |
|--------------------------------------|---|---------------------------------|--------------------------------------|-------|--|--|
| COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | | |
| | | | DATE: | | | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | | |
| YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 629-11W1240-1NC | | ISSUE | | |
| | | PART NUMBER: 629-11W | 1240-1NC | 1 | | |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





ISSUE NUMBER

ORIGINAL

 $\overline{(1)}$

5W5 Male



PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE

2.77




21W4 Male/Female




PCB EDGE

21W1 Male/Female




| | | SW REFERENCE NO .: | 629 COMBO ASSEMBLY | | | | |
|----------|--------------------------------------|---|---------------------|---------------|------------|------------------|----|
| | | | COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 | 19 |
| | | | CHECKED: | DATE: | | | |
| EDAC INC | | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 3 OF | 4 | | |
| | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 629 | 9-11W1240-1NC | ISSUE | | |
| | | | PART NUMBER: 629 | 9-11W1240-1NC | 1 | | |

5W5 Female




8W8 Female






11W1 Male/Female


CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT




17W2 Male/Female



TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.36

43W2 Female





17W5 Male












20.70

13.72


PCB EDGE



31.75

21.9

PCB EDGE



| | | SW REFERENCE NO.: 629 COMBO ASSEMBLY | | | |
|--|---|--|-------------------------|------------|-------|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 |)19 | |
| | | | CHECKED: | DATE: | |
| THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 4 OF | 4 |
| COMPLIANT2011/65/EU FOR RoHS COMPLIANCY. | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 629-11W | /1240-1NC | ISSUE |
| | YOUR CONNECTION TO QUALITY & SERVICE MANUFACTURE OR SALE OF AF WITHOUT WRITTEN PERMISSIO | | PART NUMBER: 629-11W | /1240-1NC | 1 |