ASEDCIATION CONNECTING ELECTRONICS INDUSTRIES® International and Pan	PC, Bannockt	ourn, Illinois. A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declarat the declaration e	ion of the su	ubstances v s all lower	within the manufactu level materials for w	rer listed it which the m	em. Note: anufacture	if the item is an as or has engineering	sembly with low responsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				; *	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information			
Supplier Information														
Company name* Company u			anique ID			Unique ID Authority				Response Date*				
onsemi										2023-06-	2023-06-08			
ontact Name Title - Contact			et	Pł			Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Envir			viro Compliance			NA				Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Represen			entative			Phone - Representative*			Email - Representative*					
Product-Env-Stewards Product Er			ct Enviro Compliance			NA				Product-Env-Stewards@onsemi.com				
Requester Item Number	em Number Mfr Item Number		er Mfr Item Name			Effective Date	Version	N	Ianufacturing Site	V	Veight*	UOM	Unit Type	
	NCP700	NCP700CMT45TBG 200MA ULN RF I		LDO REG3.3V	REG3.3V 2023-06			N	MY1		.05	mg	Each	
Ianufacturing Proccess Informat	tion													
Terminal Plating / Grid Array Ma	lating / Grid Array Material Terminal Base Al		Alloy	J-STD-020 MSL Rating Pe		Peak Proc	Peak Process Body Temperature Max Time at Peak		Temperatu	ire Num	ber of Reflow Cyc	les		
SnAgCu CU Alloy			1		260		С	30	second	ls 3				
omments														
vel 1 - maximum time at peak temperatu	re during sol	ldering is 10-3	0 seconds											
or more information regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Disobutyl phthalate (DIBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.4	mg	Supplier	Silicon (Si)	7440-21-3		0.4	mg	
Die Attach	0.1	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.032	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.068	mg	
Lead Frame	2.41	mg	Supplier	Magnesium (Mg)	7439-95-4		0.0036	mg	
			Supplier	Silicon (Si)	7440-21-3		0.0157	mg	
			В	Nickel (Ni)	7440-02-0		0.0723	mg	
			Supplier	Copper (Cu)	7440-50-8		2.3184	mg	
Mold Compound-Black	2.98	mg		Epoxy Phenol Resin	proprietary data		0.3129	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		2.6671	mg	
Plating	0.07	mg	Supplier	Palladium (Pd)	7440-05-3		0.0044	mg	
			В	Nickel (Ni)	7440-02-0		0.0649	mg	
			Supplier	Gold (Au)	7440-57-5		0.0007	mg	
Wire Bond - Au	0.09	mg	Supplier	Gold (Au)	7440-57-5		0.09	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).