



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


ISSUE NUMBER ORIGINAL

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019				
		CHECKED:	DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627-5W5-224-7ND		ISSUE		
			PART NUMBER: 627-5W5	-224-7ND	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female



21W1 Male/Female




COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY				
		DRAWN: C.B		DATE: JAN. 01/2019		19
		CHECKED:		DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET 3	OF	4
TORONTO, ONTARIO CANADA	TORONTO, ONTARIO CANADA MANUFACTURE OR SAT HE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER:	: 627-5W5-224-7ND		ISSUE	
ONNECTION TO QUALITY & SERVICE		PART NUMBER:	627-5W5-	224-7ND		1

5W5 Male

5W5 Female


COMPLIANT




47.05


23.53

8W8 Male






11W1 Male/Female




17W2 Male/Female

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES



CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



8W8 Female

31.75

22.83

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25



25W3 Female

36W4 Female





25W3 Male




31.75 16,10 22 11.08 ŀ€ 2.77 6.72





13W3 Male









30.50 20.70 16.62 13.72 2.77

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT











	COMBINATION D-SUB DRAWN: C.B		DATE: JAN. 01/2019		
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627-5W5	-224-7ND	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627-5W5	-224-7ND	1