



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

ISSUE NUMBER	
ORIGINAL	(1)






NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C




SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms



				SW REFERENCE NO.: 629 COMBO ASSEMBLY				
COMBINA	COMBINATION D-SUB		DATE: JAN. 01/2019					
			DATE:					
	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4				
	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 629-8W8	-240-7N2	ISSUE				
YOUR CONNECTION TO QUALITY & SER	/ICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 629-8W8	-240-7N2	1				



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female



21W4 Male/Female

27W2 Male/Female



5W5 Male

COMPLIANT



PCB EDGE

8W8 Male




PCB EDGE



PCB EDGE


2.77 PCB EDGE


5W5 Female




8W8 Female








21W1 Male/Female



			SW REFERENCE NO.: 629 COMBO ASSEMBLY					
			DRAWN: C.B		DATE:	JAN. (01/20 ⁻	19
			CHECKED:		DATE:			
C	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET	3	OF	4
S Y.		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	RAWING NUMBER: 629-8W8-240-7N2			ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	629-8W8-	240-7N2			1

CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THIS SERIES FULLY THE EUROPEAN UNI 2011/65/EU FOR RoH

CONFORMS TO	
ION DIRECTIVES	
IS COMPLIANCY.	

13.20 140	
<u>+</u> +	PC8 EDGE

11W1 Male/Female

17W2 Male/Female

7W2 Male/Female

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





.X±0.25.XX±0.13.XXX±0.05

9W4 Female



36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

24.77

23.36

43W2 Female




17W5 Male


COMPLIANT












20.70

13.72


PCB EDGE



31.75

21.9

PCB EDGE



		SW REFERENCE NO.: 629 COMBO ASSEMBLY			
	COMBINATION D-SUB DRAWN: C.B		DATE: JAN. 01/2019		
				DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 629-8W8	-240-7N2	ISSUE
			PART NUMBER: 629-8W8	RT NUMBER: 629-8W8-240-7N2	