
	m		0	σ		
Z'						
CHARACTERISTICS	s Shown as example		LAYOUT SHO	WN AS EXAMPLE		
-Standard : Based on MIL-DTL-38999 Series III -Shell Material : Composite -Shell Plating : Nickel -Insulator : Thermoplastic -Contacts : Copper Alloy -Seals & Grommet : Silicon Elastomer Contact Plating : Cold over conner Alloy 0.8um minimum	DimNominalØS41.7 MaxZ'31.5 MaxVV THREADM31x1-6g		SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.)			
-Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories -Temperature Range : -65°C to +200°C		A 08-10-2016	FR Not Listed PN: 8D521M41SE A 08-10-2016 First Release			
-Salt Spray : 2000 hours Mass : 52.7 g ± 10%		ISS DATE Designed By:	Latest modification - by Date:	C	USTOMER DRAWING	MOD N°
		TITLE	TITLE Composite Plug 8D series			
BASIC SERIES: 8D 5 - 21 M 41 S SHELL TYPE : Plug with RFI Shielding - 21 M 41 S	E	SCALE NA	General Toleral ±		NPRDS / PROJECT 859	
CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 21 CONTACT TYPE : SOCKET(500 Matings)			SOURIAU This document is the property of SOURIAU it must not be reproduced or communicated without permission			
PLATING : M = Nickel	CONTACT LAYOUT : 21-41	FORMAT A3		RIAU DRG N° 21M41SE-C		SHEET 1/2
H G F	E	D	C	B	A	

	т	۵	п –	m		O
		Contact Layout				
4		+Y 7 HOLES 31° 25' 27" 41'				
	\langle	37 4) TO HOLES				
		.835 Dia				
		Insert arrangement 21-41	7			
ယ		ber of Size Service Contact Supersedes tacts contacts rating location 11 20 I All MS20055-41				
\frown	-					
						SOURIAU shall not be liable for a due to a use of the Products
						the Specifications issued by either
						(professional recommend
N						Cour
						PN: 8D521
					A 08-10-20	16 First Release
					ISS DATE	Latest modification - by
					Designed By:	Date:
					TITLE	Comp
					SCALE	General linear
					NA	
_						
					SOURIA	U WWW.SOURIAU.
					FORMAT	SOURIA
					A3	8D521
l	Н	G	F	E	D	C
					V	



 \triangleright

σ