

Specification Sheet

Part Number: 110-05005

Tie can be cut off at any part of the strap.

Ensures the cable isolation from being damaged.

Lightweight plastic housing, ergonomic design for single-handed operation.

Includes three interchangeable nosepieces for respective cable tie width and thickness.



Article Number 110-05005

Type EVOcut

Color Black (BK)

Quantity Per carton

Product Description

Using the EVO Cut prevents the risk of damaging wiring insulation or even single conductors. The nose piece centers the tool on the cable tie and ensures that only the tie strap is sliced, not the underlying cable insulation. EVO Cut is suitable for removing inside and outside serrated plastic cable ties of different sizes on both flexible and rigid bundles. This lightweight cutting tool is simple to operate with one hand - squeezing the lever moves the integrated jaw blades effortlessly through the tie band. The tool is supplied with three interchangeable nose pieces which correspond to a wide range of HellermannTyton plastic cable ties of different width and thickness.

Short Description	EVO Cut Cable Tie Cutting Hand Tool, Black, 1/pkg
Global Part Name	EVOcut-PL-BK
Cable Ties	T18 - T150
Tension Setting Tools	Manual
Material	Plastic (PL)
Material Shortcut	PL
UV Resistant (Yes/No)	No
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8205599000

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)