

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.











.X ±0.25 .XX ±0.13

.XXX ±0.05


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, TIN PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm

| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | | |
|--|--------------------------------------|--|--------------------------------------|------------|-------|--|--|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/2019 | | | | | |
| | | CHECKED: | DATE: | | | | | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 | | | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | DRAWING NUMBER: 630-24W7250-4T5 | | ISSUE | | | |
| | | | PART NUMBER: 630-24W | 7250-4T5 | 1 | | | |





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. 000 **O**O





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

 $\overline{(1)}$

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





5W5 Male



PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE

11W1 Male/Female

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female




| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | | | |
|----------------------------|--|--|--------------------------------------|-------|--------------------|----------|----|----|---|
| COME | | | DRAWN: C.B | | DATE: JAN. 01/2019 | | 19 | | |
| | | | CHECKED: | | DATE: | | | | |
| EDA | EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE | ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS | SCALE: | N.T.S | | SHEET | 3 | OF | 4 |
| | | | DRAWING NUMBER: 630-24W7250-4T5 | | | ISSUE | | | |
| YOUR CONNECTION TO QUALITY | | | PART NU | MBER: | 630-24W7 | 7250-4T5 | | | 1 |




COMPLIANT



8W8 Female







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

17W2 Male/Female

PCB EDGE

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





2.77

24.77

23.36

PCB EDGE

PCB EDGE

31.75

21.9

36W4 Female



13W6 Male





30.50

2.77

22.16


20.78

13W6 Female

13W3 Female

.X±0.25.XX±0.13.XXX±0.05

43W2 Female




17W5 Male


COMPLIANT













20.7

13.72

PCB EDGE





| | | | SW REFERENCE NO.: 630 COMBO ASSEMBLY | | | | |
|--|--|--|--------------------------------------|------------|-------|--|--|
| | COMBINATION | DRAWN: C.B | DATE: JAN. 01/20 | 19 | | | |
| | | | CHECKED: | DATE: | | | |
| THIS SERIES FULLY CONFORMS TO | EDAC INC | OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS | SCALE: N.T.S | SHEET 4 OF | 4 | | |
| THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY. | EDAC INC TORONTO, ONTARIO CANADA | | DRAWING NUMBER: 630-24W | 7250-4T5 | ISSUE | | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 630-24W | 7250-4T5 | 1 | | |