Mounting Option Contact Detail THIS IS A C.A.D. GENERATED DRAWING Wire Wrap .046x.013(1.17x0.33) - Tail LG=.708(17.98) .468 (11.89) Offset Card Guides DO NOT MAKE MANUAL REVISIONS TO MASTER. .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing 0.156 3.96 <u>0.500[12.70]</u> — 6.248 [158.70] — -6.394[162.41]--6.680[169.67]— -7.526[191.16]*-*.175 [4.45] Point of Contact (FROM BTM OF SLOT) 0.473[12.01]



ORIGINAL

SECTION A-A

Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**

307 / 357 Card Edge Connector Part Number: 357-039-445-158



-6.990 [177.55]

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	307 ENG MASTER
DRAWN: J.LEE	DATE: AUG. 11/09
CHECKED:	DATE:
SCALE: NTS	SHEET 1 OF 3
DRAWING NUMBER	ISSUE
307 Assembly	1



