ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES	Bannockburn, Il	llinois. All rights reserved u	under both	This docume level parts, t	ent is a declara he declaration	tion of the s encompasse	ubstances s all lowe	within the manufactu r level materials for w	rer listed ite which the m	em. Note: if anufacturer	the item is an as has engineering	sembly with lower responsibility.
				rpe * Declaration Class * te Class 6 - RoHS Yes/No, Homogeneous Mater				ials and Mfg Information				
Supplier Information												
Company name*	ompany unique ID			Unique ID Authority					Response Date*			
onsemi								2023-06-08				
Contact Name	ttact Name Title - Contact			1	Phone - Contact*				Email - Contact*			
Product-Env-Stewards Product Enviro Compl			ompliance		NA			Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - Representative				Phone - Representative*				Email - Representative*				
Product-Env-Stewards	Prod	Product Enviro Compliance			NA				Product-Env-Stewards@onsemi.com			
Requester Item Number	m Number Mfr Item Numb		Number Mfr Item Name			e Version	1	Manufacturing Site	v	Veight*	UOM	Unit Type
	MMBZ16VTA	IMBZ16VTALT1G Zener SOT23 2% Common Anode Z			2023-06-08	8 CN1		8	.02	mg	Each	
Manufacturing Proccess Information	n											
Terminal Plating / Grid Array Materi	minal Plating / Grid Array Material Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Pro	cess Body T	emperatu	re Max Time at Peak	Temperatu	ire Numb	er of Reflow Cyc	les
Matte Tin (Sn) - annealed CU Alloy		loy	1		260		С	30	second	ls 3		
Comments												
level 1 - maximum time at peak temperature (during soldering	ng is 10-30 seconds										
For more information regarding material con	position please	e refer to page 3										

RoHS Material Composition Declaration				Declaration Type *	Detailed						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of						
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all						
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the						
Supplier Digital Signature Ra	stislav Drska	Le									

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.05	mg	Supplier	Silicon (Si)	7440-21-3		0.05	mg	
Lead Frame	2.92	mg	В	Nickel (Ni)	7440-02-0		1.06	mg	
			Supplier	Iron (Fe)	7439-89-6		1.4658	mg	
			Supplier	Copper (Cu)	7440-50-8		0.3942	mg	
Mold Compound-Black	4.9	mg	Supplier	Boron zinc hydroxide oxide	138265-88-0		0.147	mg	
			Supplier	Zinc Monoxide (ZnO)	1314-13-2		0.0245	mg	
			Supplier	2,4,6-triamino-1,3,5-triazine isocyanuric acid	37640-57-6		0.147	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		3.92	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.049	mg	
			Supplier	Ortho-Cresol Novolac Resin	29690-82-2		0.392	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.2205	mg	
Plating	0.14	mg	Supplier	Tin (Sn)	7440-31-5		0.14	mg	
Wire Bond - Cu	0.01	mg	Supplier	Copper (Cu)	7440-50-8		0.01	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).