



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY				
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
	CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
EDEC INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-21W4624-1N4		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-21W4	4624-1N4	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED ORIGINAL DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

6.85

16.65





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



W2 Male/Female



W1 Male/Female

ISSUE

1

			#7 #7
		11W1 Male/Female	27W
	8W8 Female		
47.05 23.63 14.48 90 95 ²⁹ 95 ²⁹ 95 ²⁹			485 1911
		17W2 Male/Female	21W
CURRENT RATING	G/ØA		
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			ą
			SW REFERENCE
	COMBI	NATION D-SUB	DRAWN: C.B
			CHECKED:
		ARE THE PROPERTY OF EDAC INC., AND	OUALL. N.I.O



COMPLIANT

THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE SCALE: N.T.S SHEET 3 0F 4 DRAWING NUMBER: 628-21W4624-1N4 ISS							
COMBINATION D-SUB			DRAWN: C.B		DATE:	JAN. 0	1/201	19
			CHECKED:		DATE:			
	EDAC INC		SCALE: N.T.S		SHEET	3	OF	4
	-, -	OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	628-21W	W4624-1N4			ISS
YOUR CONNECTION TO QUALIT	Y & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-21W	W4624-1N4			1

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25







25W3 Male










36W4 Female




13W3 Male














13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-21W	4624-1N4	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-21W	4624-1N4	1