

Mounting Option

07-M3-0.5 Metric Threaded Inserts

Contact Detail

544-Wire Wrap .050x.025(1.27x0.64) - Tail LG=.760(19.30) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing





See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**



.240 [6.10] Point of Contact-



YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO	842 ENG MASTER
	DRAWN: J.LEE	DATE: OCT. 06/09
	CHECKED:	DATE:
	SCALE: NTS	SHEET 1 OF 3
)	DRAWING NUMBER	ISSUE

SECTION A-A

842 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp C	ACAD REFERENCE NO. 842 ENG MASTER				
Contact Bend Detail			J.LEE	DATE: OC	T. 06/09
Corridor bend Dendii		CHECKE):	DATE:	
EDAC INC	ARE THE PROPERTY OF FRACTING AND		NTS	SHEET :	2 OF 3
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING	NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	842 Assembly		1	

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Co Mounting Options	DRAWN: J.LEE DATE: OCT. 06/09 CHECKED: DATE:
EDAC INC THESE DRAWINGS AND S ARE THE PROPERTY OF	
	DUCED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMI	