



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.











SIGNAL CONTACT CORRENT RATING: SAFER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

WITHOUT WRITTEN PERMISSION.





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




628-13W6624-3TE

47.05 23.53 - 14.42 - 14.42		33.30 5680 15.660 1.30 0 0 0 0 0 0 0 0 0 0 0 0 0		63.50 31.75 00 + 0 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 +	ese
	11W	1 Male/Female	27W2 Male/Femal	e	
47.05 47.05 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14.48 14	emale 31.76 72.83 72.87 72.83 72.97 72.83 72.97 72.83 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97 72.97	33.30 10.65 9.70 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.		63.50 31.75 ++++++++ +++++++++++++++++++++++++++	and a second
	17W	2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.00 23.05 13.85 13.85 0 0 0 0 0 0 0 0 0 0 0 0 0		47.05 23.63 4 4 4 4 4 4 4 4 4 4 4 4 4	æ
SW REFERENCE NO.: 628 COMBO ASSEMBLY					
	COMBINATION	N D-SUB	DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA	ONTARIO SHALL NOT BE REPRODUCED, OR COPIED DA OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-13W	6624-3TE	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-13W6624-3TE		

5W5 Male

5W5 Female

COMPLIANT



8W8 Male

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 의





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-13W6624-3TE		ISSUE
			PART NUMBER: 628-13W	6624-3TE	1

17W5 Female