Contact Dimensions: 520-P.C. Tail .030x.018(0.76x0.46) - Tail LG=.175(4.45) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing -3.535[89.79] -3.275 [83.19] -2.960[75.18] 2.800 71.12 -2x Ø.128[3.25]**--**.100[2.54] .330[8.38] CARD SLOT ACCEPTS **CARD SLOT** -.054" [1.37] TO .070"[1.78] THICK PCB SECTION A-A **−**.600[15.24] -.370[9.40] .160 4.06 POINT OF CONTACT -.250[6.35] .200 [5.08]

- INSULATOR MATERIAL: THERMOPLASTIC, UL 94V-0
- CONTACT MATERIAL; COPPER TIN ALLOY
 CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING
 ON THE CONTACT TAILS, NICKEL UNDERPLATE

845/895 SE	RIES HIGH TEMP	CARD E	EDGE (CONNECTO	DR
PART NUM	BFR: 895-027-52	0-102			

YOUR CONNECTION TO QUALITY & SERVICE

CANADA

ACAD REFERENCE NO. 845-ENG-MASTER				
DRAWN: R.STA.MONIC	A DATE:MAY.16/2017			
CHECKED:	DATE:			
SCALE: 1:1	SHEET 1 OF 2			
DRAWING NUMBER	ISSUE			

845-ENG-MASTER







- INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0 DAP MATERIAL AVAILABLE UPON REQUEST
- CONTACT MATERIAL; COPPER ALLOY

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

845/895 SERIES HIGH TEMP CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO	. 845-ENG-MASTER		
	DRAWN: R.STA.MONICA	DATE:MAY.16/2017		
	CHECKED:	DATE:		
	SCALE: 1:1	SHEET 2 OF 2		
D	DRAWING NUMBER	ISSUE		

845-ENG-MASTER