


## FTOH105ZF

## Aliases (USCFT00H105Z00)

FT, Supercapacitors, Radial Pin, 1F, -20/+80%, 5.5 VDC, Pin Leads, Lead Spacing = 7.62mm



General InformationSeriesFTDescriptionRadial Cylindrical Double Layer CapacitorRoHSYesAEC-Q200NoComponent Weight10 gMiscellaneousDischargeValue = 1.3 F.

Specifications				
Capacitance	1F			
Capacitance Tolerance	-20/+80%			
Voltage DC	5.5 VDC			
Temperature Range	-40/+85°C			
Rated Temperature	85°C			
Resistance	3500 mOhms (1kHz)			
Discharge Current	3.5 mAmps (30 Minutes After Charging)			

Click here for the 3D model.

Dimensions			
D	21.5mm +/-0.5mm		
L	13mm MAX		
S	7.62mm +/-0.5mm		
LL Negative	3.3mm MIN		
LL Positive	3mm MIN		
LT1	0.6mm +/-0.1mm		
LT2	1.2mm +/-0.1mm		

## Packaging Specifications

Lead	Pin Leads
Packaging	Bulk, Box
Packaging Quantity	90
Packaging	Bulk, Box

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.