

TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13 .XXX ±0.05

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)

ORIGINAL

5.80






MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


		COMBINATION D-SUB			
			DRAWN: C.B	DATE: JAN. 01/201	9
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628W9W4-224-3N5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628W9W4	4-224-3N5	1




COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

16.62

5W5 Female	ē	8W8 Fem	nale	
-	47.05 	÷		
			170	/2 Male/Fema
	CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	/ ΦΑ		
			COMBINATIO	N D-SUB
	THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.		EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWIN ARE THE PROPI SHALL NOT BE I OR USED AS TH MANUFACTURE WITHOUT WRIT







ale

47.05 8.31 2.7







	SW REFERENCE NO.: 628 C		
	DRAWN: C.B	DATE: JAN. 01/201	9
	CHECKED:	DATE:	
S	SCALE: N.T.S	SHEET 3 OF	4
D	DRAWING NUMBER: 628W9W4	628W9W4-224-3N5	
IS	PART NUMBER: 628W9W4	4-224-3N5	1



8W8 Male



3.30



11W1 Male/Female

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male









30.50 16.62 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.72 15.24 15.72 15.72 15.24 15.72 15

13W6 Male



43W2 Male







.X±0.25.XX±0.13.XXX±0.05

9W4 Female

13W3 Female




43W2 Female



17W5 Male


COMPLIANT






2.77









		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	CANADA		DRAWING NUMBER: 628W9W4-224-3N5		ISSUE
			PART NUMBER: 628W9W	4-224-3N5	1