



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
				C.B	DATE: JAN. 01/2019			
				):	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE:	(IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK2224-5N1		2224-5N1	ISSUE		
			PART NU	MBER: 628-2WK	2224-5N1	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

3W3 / 3WK3

8W8 Male

63.50

31.76

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



emale



emale



ISSUE

1

		11W1	Male/Female	27W2 Male/Fem
23.53 10 10 10 10 10 10 10 10 10 10 10 10 10	8W8 Female	80 (Sala	33.30 10.05 10	
_\$.26	436 - 7.04-	17W2	Male/Female	21W1 Male/Fem
CURRENT RATING	/ ØA			
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		28	47.00 23.05 13.06 	
		COMBINATION D-SUB		
	C			
JLLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S
NUNION DIRECTIVES		DRONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	

COMPLIANT

THIS SERIES FUL THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY						
COMBINATIO	N D-SUB	DRAWN: C.B		DATE:	JAN. 0	)1/201	19
		CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S		SHEET	3	OF	4
EDAC INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	628-2WK	28-2WK2224-5N1		ISS	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-2WK	2224-5N1	1		1

5W5 Female

47.0/

23.53

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 1





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male



47W1 Male







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:		
CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
NON DIRECTIVES HS COMPLIANCY.	TORONTO, ONTARIO CANADA	NADA OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-2WK2224-5N1		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-2WK	2224-5N1	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY