

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



## Product / Process Change Notification (PCN)

- Major change  
 Minor change

**PCN #:** PCN\_FeSTAR-TEC\_20181101

**Affected Series:** 74271221; 74271221S  
74271222; 74271222S

**PCN Date:** August 01, 2018

**Effective Date:** November 01, 2018

### Change Category:

- Equipment / Location  
 General Data  
 Material  
 Process  
 Product Design  
 Shipping / Packaging  
 Supplier

**Contact:** Product Management

**Phone:** +49 (0) 7942 - 945 5001

**Fax:** +49 (0) 7942 - 945 5179

**E-Mail:** pcn.eisos@we-online.com

### Data Sheet Change:

- Yes  No

### Attachment:

- Yes  No

### DESCRIPTION AND PURPOSE OF CHANGE:

In order to improve the transportation and handling safety, Würth Elektronik will change the packaging and standard packaging quantity by implementing a new tray design.

All products with date code 2018-10-01 or later, will be affected by this packaging change.

Würth Elektronik eiSos GmbH & Co. KG

EMC & Inductive Solutions

Max-Eyth-Straße 1 · 74638 Waldenburg · Germany

Tel. +49 (0) 79 42 945-0 · Fax +49 (0) 79 42 945-400

eiSos@we-online.de · www.we-online.de



#### DETAIL OF CHANGE:

The tray changes in the design and in the size from a cardboard to a paper mould tray. Due to this change, the packaging size and standard packaging quantity will change as detailed in the table below. The carton box material will remain double wall corrugated cardboard.

		Unit	New Packaging	Old Packaging
Carton Packaging Quantity	(CPQ)	pcs	130	140
Standard Packaging Quantity	(SPQ)	pcs	26	20
Number of trays		pcs	5	7
Moisture Impermeable Bag	(MIB)		Yes	Yes
Dimensions of the carton	(LxWxH)	mm	400 x 300 x 165	325 x 220 x 160
Dimensions of the tray	(LxWxH)	mm	370 x 280 x 15	315 x 215 x 2
Weight of a CPQ		g	10800	11800
Weight of a SPQ		g	2140	1650

#### New Packaging:



#### RELIABILITY / QUALIFICATION SUMMARY:

Drop test according to DIN EN 22248 "Packaging; complete, filled transport packages; vertical impact test by dropping (ISO 2248:1985)" has been done.