

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622030450](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Removal Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207121
Comments	See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Extraction Hand Tool
UPC	884982694729
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents [ATS-622030450](#)



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207121](#) Series

Use With

[45280](#) 3.00mm Pitch Micro-Fit 3.0 BMI CPI Compliant Pin Header

Application Tooling

FAQ

Description	Product #
--------------------	------------------

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0, Tin (Sn) Over Nickel (Ni) Plating	452800401
---	---------------------------

MicroFit 3.0 Hdr Vert CPI 4ckt Matte Sn	452800404
---	---------------------------

Micro-Fit BMI CPI Compliant Pin Header, Blind Mate Interface, Dual Row, Vertical, 4 Circuits, PA Polyamide Nylon 4/6, UL 94V-0,	452800452
---	---------------------------

0.38µm Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI [452800601](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 6 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
Micro-Fit BMI CPI [452800652](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 6 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38µm Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI [452800653](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 6 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76µm Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI [452800801](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 8 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
Micro-Fit BMI CPI [452800852](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 8 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38µm Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI [452800853](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 8 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76µm Gold (Au)
Selective Contact

Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801001
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 10 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
MicroFit 3.0 Hdr Vert 452801004
CPI 10ckt Matte Sn
Micro-Fit BMI CPI 452801052
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 10 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801053
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 10 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801201
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 12 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
Micro-Fit BMI CPI 452801252
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 12 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801253
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 12 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact

Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801401
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 14 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
Micro-Fit BMI CPI 452801452
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 14 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801453
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 14 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801601
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 16 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating
Micro-Fit BMI CPI 452801652
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 16 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating
Micro-Fit BMI CPI 452801653
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 16 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452801801](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 18 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating

Micro-Fit BMI CPI [452801852](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 18 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452801853](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 18 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452802001](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 20 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating

Micro-Fit BMI CPI [452802052](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 20 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452802053](#)
Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 20 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452802401](#)
Compliant Pin
Header, Blind Mate

Interface, Dual Row,
Vertical, 24 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0, Tin
(Sn) Over Nickel (Ni)
Plating

Micro-Fit BMI CPI [452802452](#)

Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 24 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.38 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

Micro-Fit BMI CPI [452802453](#)

Compliant Pin
Header, Blind Mate
Interface, Dual Row,
Vertical, 24 Circuits,
PA Polyamide Nylon
4/6, UL 94V-0,
0.76 μ m Gold (Au)
Selective Contact
Plating, Tin (Sn) Tail
Plating

This document was generated on 04/02/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION