ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® Material Comp © Copyright 2005. Il international and Pan	PC, Bannock	burn, Illinois. A	ll rights reserved un tions.	nder both	This docume level parts, t	ent is a declar the declaratio	ation of the an encompass	substances ses all lowe	within the man r level material	ufacturer liste s for which th	d item. I e manuf	Note: if the acturer has	e item is an ass s engineering r	embly with lower esponsibility.	
	IPC Web Site for Information on IPC-1752 Standard Form Type http://www.ipc.org/IPC-175x Distribute				*	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					als and Mfg Information				
Supplier Information															
Company name* Com			Company unique ID			Unique ID Authority					Response Date*				
onsemi											2023-06-08				
Contact Name Title - Contact			et	Phone - Cor			ontact* Er			Emai	Cmail - Contact*				
Product-Env-Stewards Produ			Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title - R			le - Representative			Phone - Representative*				Emai	Email - Representative*				
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Prod	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Da	ate Version	n 1	Manufacturing Site		Weig	nt*	UOM	Unit Type	
	MC74H G	C4067ADTR2	IC MUX/DEMUX 1X16			2023-06-08		]	PH1		122.8	6	mg	Each	
Manufacturing Proccess Informat	ion		-												
Terminal Plating / Grid Array Ma	terial	Ferminal Base Alloy J		-STD-020 MS	L Rating	Peak Pr	k Process Body Temperature		ure Max Time at Peak Tempera		erature	rature Number of Reflow Cycles		es	
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy	U Alloy 1			<b>260</b> C		C	30		conds	onds 3			
Comments															
evel 1 - maximum time at peak temperatu	re during so	oldering is 10-3	0 seconds												
for more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed					
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth						
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of					
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.										
Exemption List Version	EL-2011/534/EU									
Declaration Signature										
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.										
Supplier Digital Signature Ra	stislav Drska	Le								

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).									
Homogeneous Material Weight		eight Unit of Measure		Substance	CAS	Exempt	Weight	Unit of Measure	
Die	1.34	mg	Supplier	Silicon (Si)	7440-21-3		1.34	mg	
Die Attach	0.23	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.046	mg	
			Supplier	Silver (Ag)	7440-22-4		0.184	mg	
Lead Frame 46.0	46.68	mg	Supplier	Zinc (Zn)	7440-66-6		0.0467	mg	
			Supplier	Iron (Fe)	7439-89-6		1.0736	mg	
			Supplier	Copper (Cu)	7440-50-8		45.513	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0467	mg	
Mold Compound-Black 7.	73.13	mg		Epoxy Phenol Resin	proprietary data		7.6786	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		65.4513	mg	
Plating	1.41	mg	Supplier	Palladium (Pd)	7440-05-3		0.0705	mg	
			В	Nickel (Ni)	7440-02-0		1.269	mg	
			Supplier	Gold (Au)	7440-57-5		0.0705	mg	
Wire Bond - Cu	0.07	mg	Supplier	Copper (Cu)	7440-50-8		0.07	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).