

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.









NOTES:

.X ±0.25 .XX ±0.13

.XXX ±0.05


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

CONTACT CODE 40 POWER CONTACT FOOTPRINT - 13.20mm 40 IS STANDARD AS SHOWN ON SHEETS 3 & 4 CONTACT CODE 50 POWER CONTACT FOOTPRINT - 20.33mm


	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
Y			DRAWING NUMBER: 630-21W1250-1N3		ISSUE	
			PART NUMBER: 630-21W	1250-1N3	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

ISSUE NUMBER





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL


(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female





5W5 Male



PCB EDGE

8W8 Male



PCB EDGE



PCB EDGE


5W5 Female

COMPLIANT




8W8 Female






22.70 PCB EDGE

21W1 Male/Female



CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



THESE DRAWINGS AND SPECIFICATIONS


MANUFACTURE OR SALE OF APPARATUS


ARE THE PROPERTY OF EDAC INC..AND

OR USED AS THE BASIS FOR THE

WITHOUT WRITTEN PERMISSION.

630 COMBO ASSEMBLY SW REFERENCE NO. C.B DATE: JAN. 01/2019 DRAWN: CHECKED: DATE: SHEET 3 OF 4 SCALE: N.T.S SHALL NOT BE REPRODUCED, OR COPIED 630-21W1250-1N3 DRAWING NUMBER: ISSUE 1 PART NUMBER: 630-21W1250-1N3






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA QUALITY & SERVICE

7W2 Male/Female

21W4 Male/Female



27W2 Male/Female



17W2 Male/Female

11W1 Male/Female

COMBINATION D-SUB

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male





25W3 Male





2.77

24.77

23.3

PCB EDGE

PCB EDGE

36W4 Female



13W6 Male





30.50

2.77

22.16

20.76

13W6 Female

13W3 Female

 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

43W2 Female



17W5 Male

COMPLIANT









31.75

21.9









20.7

13.72

PCB EDGE





					SW REFERENCE NO.: 630 COMBO ASSEMBLY			
)	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19		
				CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	THIS SERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
<u>ן</u>	THE EUROPEAN UNION DIRECTIVES		TORONTO, ONTARIO CANADA		DRAWING NUMBER: 630-21	W1250-1N3	ISSUE	
			O QUALITY & SERVICE		PART NUMBER: 630-21	W1250-1N3	1	