

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.12.07	A	INITIAL RELEASE.	DICK




TABLE			
PART NUMBER	L1	L2	TITLE
451380203	300±10	144REF	Minifit Sr OTS assy. 2 Circuit 300MM
451380206	600±10	294REF	Minifit Sr OTS assy. 2 Circuit 600MM
451380210	1000±15	494REF	Minifit Sr OTS assy. 2 Circuit 1M
451380220	2000±20	994REF	Minifit Sr OTS assy.y 2 Circuit 2M

P/N:45138XXXX—MOLEX PN  
MOLEX  
DETAIL A

- NOTES
1. THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.  
此产品需符合 2011/65/EU ROHS环保要求.
  2. ELECTRICAL PERFORMANCE REFER TO ES-000.  
电气特性参考ES-000.
  3. LABEL TEXT MUST BE 2mm MAX. IN HEIGHT WITH ARIAL FONT.  
标签字高最大2mm,字体ARIAL.

ITEM	DESCRIPTION	L(MM)	Q'TY
D	Blank label 12*65(white 8mm)		1
C	2CX8AWG;UNSH;PVC;BK;7.80X14.0MM;UL2586	A/R	
B	Mini Fit Sr Female Term 8 AWG, GOLD PLATING		4
A	MiniFit Sr Rcpt Hsg W/TPA 2Ckt		2

WIRING CHART		
P1	P2	COLOR
1	2	BLACK
2	1	RED

<b>QUALITY SYMBOLS</b> 	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS <b>MM</b>	SCALE <b>NTS</b>			
	EC NO: 111343 DRWN: WLXIE CHK'D: DHUANG16 APPR: YXZOU	2016/12/06 2016/12/09 2016/12/11	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °	DRWN BY <b>WLXIE</b>		DATE <b>2016/11/20</b>	SEE TABLE
			4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±	CHK'D BY <b>DHUANG16</b>		DATE <b>2016/12/05</b>	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	APPR BY <b>DHUANG16</b>		DATE <b>2016/12/05</b>	
		DRAWING SIZE <b>A3</b>	THIRD ANGLE PROJECTION 		PRODUCT CUSTOMER DRAWING		
			SERIES <b>201234</b>	MATERIAL NUMBER <b>SEE TABLE</b>	CUSTOMER <b>GENERAL MARKET</b>		
			DOCUMENT NUMBER <b>2012341651</b>		DOC TYPE <b>PSD</b>	DOC PART <b>000</b>	SHEET NUMBER <b>1 OF 1</b>