


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







(1)

ORIGINAL





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W5-224-7T4		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W5	-224-7T4	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female



21W1 Male/Female

A Contraction of the second se		6 ³ ¹ − + + 2 <i>1</i> ²		
		11W1 Male/Female		
8W	8 Female			
47.06 	53.50 31.78 22.83 22.97 0 0 0 0 0 0 0 0 0 0 0 0 0			
CURRENT RATING / Ø		17W2 Male/Female		
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.00 23.05 13.85 		
		COMBINATION D-SUB		
	COMBINAT			
		CHE THESE DRAWINGS AND SPECIFICATIONS SCA		
SERIES FULLY CONFORMS TO UROPEAN UNION DIRECTIVES	EDAC INC TORONTO, ONTA CANADA	ARE THE PROPERTY OF EDAC INC., AND		
5/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVI	MANUFACTURE OR SALE OF APPARATUS		


YOUR CONNECTION TO QUALITY & SERVICE




5W5 Male


5W5 Female

COMPLIANT



8W8 Male





WITHOUT WRITTEN PERMISSION.

THIS SE THE EUP 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male



25W3 Male




47.02

9W4 Female


김 영

13W3 Female


.XX ±0.13 .XXX ±0.05




25W3 Female





13W3 Male



36W4 Male









13W6 Male



43W2 Male







43W2 Female

47W1 Female

36W4 Female




17W5 Male


COMPLIANT




47W1 Male









		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20)19
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-5W5-224-7T4		ISSUE
			PART NUMBER: 628-5W5	-224-7T4	1

