

NOTES:

MATERIAL:


.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
EDAC INC		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	N C.A.D. 1:1) SHEET 1 OF	4	
Y	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-24W7224-7NB		ISSUE	
			PART NUMBER: 628-24W	7224-7NB	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. OR PLATING



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female



W2 Male/Female



W1 Male/Female

DRAWING NUMBER:


PART NUMBER:

-1449 		98		++
		11W1	Male/Female	27W
	8W8 Female			
23.03 14.49 0 00 00000000000000000000000000000000	$\begin{array}{c} 53.50 \\ \hline 31.75 \\ \hline 22.83 \\ \hline \end{array}$	eres eres		87 87
		17W2	Male/Female	21W
CURRENT RATING	G/ØA			
10A / 2.2			1- 47.05 et	
20A / 3.3 30A / 3.7 40A / 4.2		MG 1		
				SW REFERENCE
	C	COMBINATION D-SUB		DRAWN: C.B
				CHECKED:
S FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S

ONTARIO


5W5 Male


5W5 Female



47.05

8W8 Male





SHALL NOT BE REPRODUCED, OR COPIED

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.

628 COMBO ASSEMBLY CE NO.: DATE: JAN. 01/2019 В DATE: .s SHEET 3 OF 4

628-24W7224-7NB

628-24W7224-7NB

ISSUE

1




THIS SERIES F THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

YOUR C		EDAC INC TORONTO, ONTARIC CANADA O QUALITY & SERVICE

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25






9W4 Male



25W3 Male




47.02 9.70

9W4 Female


김 영

13W3 Female




23.53


25W3 Female




13W3 Male




36W4 Male








13W6 Male




43W2 Male





17W5 Female



43W2 Female


47W1 Female

36W4 Female




17W5 Male


COMPLIANT




47W1 Male







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-24W	7224-7NB	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-24W	7224-7NB	1





.XX ±0.13 .XXX ±0.05