

Product Change Notification

PCN Date:	Sep 8, 2022	Sep 8, 2022			
Supplier Name:	Pulse				
Pulse PCN No.	22-022				
Description of Change	Replace the tape supplier from 3M to Yahua, Details refer to the following. Change does not affect Form, Fit or Function.				
Reason for Change	Current using Super 10 from 3M will be discontinued				
Summary of	Before		After		
Changes	Test description	Existing tape	Test description	New tape	
between the new	Pulse P/N	080-0587.001	Pulse P/N	080-2434.001	
and old part	Supplier	ЗM	Supplier	Yahua	
	Supplier P/N	Super 10	Supplier P/N	WF	
	Backing	epoxy film	Backing	PET+Non-woven	
	Adhesive	rubber resin	Adhesive	A	
	Thickness	0.127	Thickness	0.13	
	Temp. °C	155			
	Voltage(KV)	8	Temp. °C	130	
			Voltage(KV)	5.5	
	Peel Strength(Kgf/cm) 90°	79N/10mm	Peel Strength(Kgf/cm) 90°	300N/M	
			We use current 3M#10 tape which function is to ensure distance. As safety point, material mu 94V0 and if have UL/EIS red choose RM from EIS system YAHUA WF or 3M #44.	necessary safe ust meet UL- quire, we can	

Traceability	Date Code marked on finished goods.					
guidelines						
Datasheet	Before After:					
attached?						
	080-0587.001 Super 10 spec pd		30-2434.001			
Qualification	Super 10 spec.pd YAHUA 2902规格目 The following pictures selected PG1430NL as a template for validation, FYI.					
Data attached?	Before After					
	Vector					
	Process Qualification report as below Process qualification 080-7					
Customer Part Number	Pulse Part Number	PCN target Effectivity Date	Sample availability	Pulse Qualification		
N/A	See attachment	Q4 2022	N/A	See attachment		

Customer:

Originator: Jack Dong Phone: +86 08255828168 -6818 E-mail: Jack Dong@yageo.com Rev: A released on Sep 7, 2022 **Customer Approval**

Parts list:

PA0476NL	
PA2517NL	
PA3921NL	
PA5195NLT	
PA5529NL	
PE-6185NL	
PE-6196ANL	
PE-6196NL	
PE-63587ANL	
PE-63587NL	
PE-65300NL	
PE-67200NL	
PG1058NL	
PG1388NLT	
PG1430NLT	
PH9052NLT	
PH9217NLT	
PH9279NLT	
PH9292NL	
PH9292NLT	