Contact Dimensions: 525-P.C. Tail .018 Sq.(0.46 Sq.) - Tail LG=.150(3.81) .100 (2.54) Contact Spacing x .200 (5.08) Row Spacing 1 $[2x \ \emptyset.156 \]3.96]$ CARD SLOT ACCEPTS .054" [1.37] TO .070"[1.78] THICK PCB -7.100 [180.34] 7.260 [184.4] -7.575 [192.41⁻ .160[4.06] POINT OF CONTACT CARD SLOT 330 [8.38] **SECTION A-A** .250[6.35] 600 15.24 -7.835[199.01] 345/395 SERIES CARD EDGE CONNECTOR PART NUMBER: 345-070-525-678

INSULATOR MATERIAL: THERMOPLASTIC PBT BLACK, UL 94V-0

CONTACT MATERIAL; COPPER TIN ALLOY CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

YOUR CONNECTION TO QUALITY & SERVICE

ACAD REFERENCE NO. 345-ENG-MASTER			
DRAWN: R.STA.MONICA	DATE:MA	Y.16/2017	
CHECKED:	DATE:		
SCALE: 1:1	SHEET '	OF 2	
DRAWING NUMBER		ISSUE	
345-ENG-MASTER		1	



.107 [2.72] .082 [2.08] .157 [4] .232 [5.89] .125(3.18) to .210(5.33) .125(3.18) to .210(5.33) Outside Tails Outside Tails .045(1.14) to .060(1.52) .045(1.14) to .060(1.52) Between Tails Between Tails **Contact Code 555 Contact Code 556**







Contact Code 558

Contact Code 559

Contact Code 560

INSULATOR MATERIAL: THERMOPLASTIC POLYESTER, UL 94V-0

DAP MATERIAL AVAILABLE UPON REQUEST

CONTACT MATERIAL; COPPER ALLOY

CONTACT PLATING: GOLD ON THE MATING AREA, TIN PLATING ON THE CONTACT TAILS, NICKEL UNDERPLATE

345/395 SERIES CARD EDGE CONNECTOR CONTACT CODE 555,556,558,559,560 DIMENSIONS

YOUR CONNECTION TO QUALITY & SERVICE

	ACAD REFERENCE NO. 345-ENG-MASTER	
3	DRAWN: R.STA.MONICA	DATE:MAY.16/2017
	CHECKED:	DATE:
,	SCALE: 1:1	SHEET 2 OF 2
ΞD	DRAWING NUMBER	ISSUE

345-ENG-MASTER