


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



**ISSUE NUMBER** 

(1)





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY				
COMBI			DATE: JAN. 01/20	19			
			DATE:				
EDAC	INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4			
	ADA OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-5W5-640-5T2		ISSUE			
YOUR CONNECTION TO QUALITY &	SERVICE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 630-5W5	640-5T2	1			





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female

24W7 Male/Female

21W4 Male/Female



**ISSUE NUMBER** 

 $\overline{(1)}$ 

5W5 Male

2W2 / 2WK2



PCB EDGE

8W8 Male



PCB EDGE




POB EDGE

2.77


PCB EDGE

PCB EDGE

## 27W2 Male/Female 22.70




21W1 Male/Female



	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY						
			DRAWN: C.B		DATE: JAN. 01/2019		19		
			CHECKED:		DATE:				
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET	3	OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	630-5W5-640-5T2		ISSUE			
	YOUR CONNECTION TO	QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	630-5W5-	-640-5T2			1


5W5 Female






CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



17W2 Male/Female



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



11W1 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male






25W3 Male



13W3 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05




31.75

32.00

36W4 Female



13W6 Male





13W6 Female

## 43W2 Female





17W5 Male














		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	)19			
			CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4		
			DRAWING NUMBER: 630-5W	5-640-5T2	ISSUE		
			PART NUMBER: 630-5W	5-640-5T2	1		



22.18

2.77

20.78

20.70

13.72

PCB EDGE



24.77

PCB EDGE