

Specification Sheet

Part Number: MCRFW-CD10

Raceway and fittings are manufactured from a UL94 V0 rated material to insure compliance with codes.

All fittings have been designed to maintain the required 1" minimum bend radius to meet TIA/EIA-568-B and 569-A standard.

Raceway and fittings are UL Listed to 600 volts to meet new UL5A and CSA 22.2 No. 62-93 standards.

Integrated design of the raceway divider ensures proper separation of power and data cabling per UL/CSA standards.



InfoStream Multi-Channel Raceway Center Divider, 10 ft Long, PVC, Office White, 60ft/pkg

Article Number	250-00010
Type	MCR-CD10
Color	Office White (OEWH)
Quantity Per	box
Product Description	Dividers snap onto raceway base rails for proper power and data separation per UL/CSA.
Short Description	InfoStream Multi-Channel Raceway Center Divider, 10 ft Long, PVC, Office White, 60ft/pkg

Global Part Name MCR-CD10-PVC-WH

Length L (Imperial) 10.0

Length L (Metric) 3.04

Material Polyvinylchloride (PVC)

Material Shortcut PVC

Flammability UL 94 V-0

Halogen Free No

Operating Temperature +122°F (+50°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

UL Listed (US and Canada) Yes

UL Listed (US) Yes

Package Quantity (Imperial) 60

Package Quantity (Metric)

18.29

Customs Number

3925900000

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)