


6.10



NOTES:

.XX ±0.13 .XXX ±0.05

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE:

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


	SW REFERENCE NO.: 627 COMBO ASSEMBLY					
COMBINATION	DRAWN: C.B		DATE: JAN. 01/201		19	
	CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:	1)	SHEET 1	OF	4
	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W2WK		K2224-3N5		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	627W2WI	<2224-3N5		1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

WITHOUT WRITTEN PERMISSION.

5W1 Male/Female

7W2 Male/Female





(1)

627W2WK2224-3N5

21W4 Male/Female

8W8 M			2100410181181181			
47.05 - 14.48 - 14.48 		33.30 4 2 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5			eee	
	11W	/1 Male/Female	27W2 Male/Femal	le		
8W8 F 47.05 47.05 47.05 23.53 47.05 23.53 4.44e 90 47.05 4.44e 90 47.05 4.44e 90 47.05 4.44e 90 4.44e 4.44e 90 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.44e 4.42e	53.50 31.78 22.83 22.97 0 0 0 0 0 0 0 0 0 0 0 0 0	$\sqrt{2} \text{ Male/Female}$	21W1 Male/Femal	- le 	a sea	
		SW REFERENCE NO.: 627 C	COMBO ASSEMBLY			
	COMBINATIO	DRAWN: C.B	AWN: C.B DATE: JAN. 01/20			
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 3 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W2WK2224-3N5 ISS			
	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W2WK2224-3N5 1			

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male




13W6 Female

.X ±0.25 .XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female






47W1 Female




17W5 Male


COMPLIANT











		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W2W	K2224-3N5	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W2W	UMBER: 627W2WK2224-3N5	





