



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER


(1)







NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
		DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK2624-1T1		ISSUE		
		PART NUMBER: 628-2WK	2624-1T1	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

5W5 Female

COMPLIANT

47,05

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



8W8 Fer	nale	
47.06 		
	17W2	2 Male/Female
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	2 1 1	47.68 23.63 13.85 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	COMBINATION	I D-SUB
SERIES FULLY CONFORMS TO EUROPEAN UNION DIRECTIVES 65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICAT ARE THE PROPERTY OF EDAC INC., SHALL NOT BE REPRODUCED,OR C OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPAF WITHOUT WRITTEN PERMISSION.


¢	ф (




THIS SI THE EU 2011/65

OMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
		DRAWN: C.B		DATE: JAN. 01/2019		
		CHECKED:		DATE:		
EDAC INC THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND		SCALE: N.T.S		SHEET 3	OF	4
ORONTO, ONTARIO CANADA	CANADA OR USED AS THE BASIS FOR THE	DRAWING NUMBE	ER: 628-2WK	628-2WK2624-1T1		ISSUE
JALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-2WK	2624-1T1		1

63.50





11W1 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male



25W3 Male




67.Ož 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male



36W4 Male





20.70 30.50 16,62 13.72 15.24 8.74 2.77

13W6 Male



43W2 Male





17W5 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female


47W1 Female




17W5 Male











2.77

COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B DATE: JAN. 01/2		19	
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4	
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-2WK	2624-1T1	ISSUE	
		PART NUMBER: 628-2WK	2624-1T1	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.