


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


Â	




(1)

ORIGINAL






NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



27W2 Male/Female

PART NUMBER:





628-5W5-622-3N1

4

ISSUE

1

31.76 17W2 Male/Female 21W1 Male/Female CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 SW REFERENCE NO .: 628 COMBO ASSEMBLY COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: THESE DRAWINGS AND SPECIFICATIONS 3 OF SCALE: N.T.S SHEET DAC INC ARE THE PROPERTY OF EDAC INC..AND ITO, ONTARIO SHALL NOT BE REPRODUCED, OR COPIED 628-5W5-622-3N1 DRAWING NUMBER: OR USED AS THE BASIS FOR THE CANADA MANUFACTURE OR SALE OF APPARATUS

5W5 Male

5W5 Female





47.00

23.53


8W8 Male

8W8 Female





11W1 Male/Female



WITHOUT WRITTEN PERMISSION.

THIS SERIES FULL THE EUROPEAN L 2011/65/EU FOR R COMPLIANT

LY CONFORMS TO UNION DIRECTIVES RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25






9W4 Male

47.05 23.03 44.51 9.70 44.51 9.70 9. 25W3 Male




47.05 23.53 9.79 14.51 8.32 7.79 9.7 25W3 Female


36W4 Female



13W3 Male




36W4 Male






81.00 20.70 15.24 15.24 15.24 15.24 20.70 15.24 20.70 15.24 20.70 15.24 20.70 20

13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female


47W1 Female



17W5 Male



47W1 Male





	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
FORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
DIRECTIVES OMPLIANCY. YOUR CONNE		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-5W5	-622-3N1	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-5W5	-622-3N1	1

