
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact resistance: 10m} Ω MAX. \\ \mbox{Insulator resistance: 5000M} Ω min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \mbox{Insulator resistance: 5000V AC rms} \\ \mbox{$




				SW REFERENCE NO.: 630 COMBO ASSEMBLY				
COMBIN			DRAWN: C.B		DATE: JAN. 01/2019			
			CHECKED:		DATE:			
EDACI	NC THESE DRAWINGS AND SPECIFICATION	I JOCALL. (IN C.A.	D. 1:1)	SHEET 1	OF	4		
	A OR USED AS THE BASIS FOR THE	DRAWING NUMBE	R: 630-3W3	-240-4TA		ISSUE		
YOUR CONNECTION TO QUALITY & SI	RVICE MANUFACTURE OR SALE OF APPARA WITHOUT WRITTEN PERMISSION.	PART NUMBER:	630-3W3	-240-4TA		1		





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female


24W7 Male/Female



ISSUE NUMBER

 $\overline{(1)}$






PCB EDGE

8W8 Male



PCB EDGE




POB EDGE


2.77 PCB EDGE

27W2 Male/Female

21W4 Male/Female




21W1 Male/Female




	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY					
СО			DRAWN: C.B		DATE: JAN. 01/20)19	
			CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET	3	OF	4
	ONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER:	630-3W3-	240-4TA			ISSUE
YOUR CONNECTION TO QUAL	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	630-3W3-	240-4TA			1

5W5 Female

COMPLIANT



8W8 Female






11W1 Male/Female








PCB EDGE

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.
















13W3 Male





25W3 Male





2.77


24,77

PCB EDGE


PCB EDGE

31.75

36W4 Female



13W6 Male





22.18

2.77

20.78

20.70

13,72

PCB EDGE

13W6 Female

13W3 Female

 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05

43W2 Female





17W5 Male



















THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	COMBINATION	D-SUB
YOUR CONNECTION TO	EDAC INC TORONTO, ONTARIO CANADA O QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN: C.B		DATE:	JAN. 01/20	19
CHECKED:		DATE:		
SCALE: N.T.S		SHEET	4 OF	4
DRAWING NUMBER:	630-3W3-	240-4TA		ISSUE
PART NUMBER:	630-3W3-	240-4TA		1