



MATERIAL NUMBER	ENGINEERING NUMBER	LENGTH
1300390132	DND41A-M010	1.0M +55.6mm -0 [3.28FT +2.19IN -0]
1300390131	DND41A-M005	.5M +44.5mm -0 [1.64FT +1.75IN -0]
1300390133	DND41A-M020	2.0M +88.9mm -0 [6.56FT +3.5IN -0]
1300390530	DND41A-M030	3.0M +88.9mm -0 [9.84FT +3.5IN -0]
1300390135	DND41A-M050	5.0M +165.1mm -0 [16.40FT +6.5IN -0]
1300390552	DND41A-M100	10.0M +317.5mm -0 [32.81FT +12.5IN -0]



NOTES:

- 1) MATERIALS: SEE TABLE
- 2) FINISHES: SEE TABLE
- 3) ELECTRICAL DATA:  
MAX. VOLTAGE: 250 VAC  
MAX. CURRENT: 4 AMPS
- 4) ENVIRONMENTAL:  
PROTECTION IP20  
TEMPERATURE RANGE: -20°C TO 80°C
- 5) CERTIFICATIONS:  
UL: E152210  
cCSAus FILE: LR6837
- 6) ASSEMBLY IS RoHS COMPLIANT.



ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
9	1	LABEL	PLASTIC FILM	YELLOW
8	1	OVERMOLD	TPE	GRAY
7	1	OVERMOLD	TPE	GRAY
6	1	COUPLING NUT	ZINC DIE-CAST	BLACK E-COAT
5	1	MALE INSERT	PVC	GRAY
4	5	PIN CONTACT	COPPER ALLOY	GOLD PLATING
3	1	D-NET OPEN CONNECTOR	POLYAMIDE	GRAY
2	5	SOCKET CONTACT	COPPER ALLOY	GOLD PLATING
1	1	#22/4 CABLE + DRAIN	PVC JACKET	GRAY

ADDED PART NUMBERS EC NO: IFC2016-1115 DRWN: GGUSTAFS 2016/02/12 CH'KD: BRUPERT 2015/03/10 APPR: BWOODMAN	QUALITY SYMBOL ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±.005</td> </tr> <tr> <td>2 PLACES</td> <td>±0.13</td> <td>±.010</td> </tr> <tr> <td>1 PLACE</td> <td>±0.25</td> <td>±.020</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±.005	2 PLACES	±0.13	±.010	1 PLACE	±0.25	±.020	DIMENSION STYLE IN/MM	SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION
		mm	INCH																		
	4 PLACES	±---	±---																		
	3 PLACES	±---	±.005																		
2 PLACES	±0.13	±.010																			
1 PLACE	±0.25	±.020																			
		DRAWN BY: LHARTMAN DATE: 2010/01/22	TITLE <b>MINI-CHANGE TO OPEN 5P MA ST TO FE OPEN #22/4 + DRAIN PVC CABLE</b>																		
		CHECKED BY: BWOODMAN DATE: 2010/01/27	<b>MOLEX INCORPORATED</b>																		
		APPROVED BY:	MATERIAL NO. <b>SEE CHART</b>	DOCUMENT NO. <b>SD-130039-032</b>	SHEET NO. <b>1 OF 1</b>																
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																		