
TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

 $\label{eq:signal_contact_current rating: 5A per contact} \\ \mbox{Signal_contact resistance: 10m} $\Omega$ MAX. \\ \mbox{Insulator resistance: 5000M} $\Omega$ min. \\ \mbox{Dielectric} \\ \mbox{Withstanding voltage: 1000V AC rms} \\ \mbox{Ac rms} \\ \m$ 




			SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
			CHECKED:	DATE:		
		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-17W2640-4N3		ISSUE	
, i i i i i i i i i i i i i i i i i i i	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-17W	2640-4N3	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2



5W1 Male/Female

7W2 Male/Female





**ISSUE NUMBER** 

 $\overline{(1)}$ 

5W5 Male




PCB EDGE

8W8 Male



PCB EDGE




PCB EDGE


POB EDGE

11W1 Male/Female


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female




	COMBINATION D-SUB		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
			DRAWN: C.B		DATE: JAN. 01/2019	
			CHECKED:		DATE:	
	EDAC INC	ONTARIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S		SHEET 3 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER:	630-17W2640-4N3		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER:	630-17W2	2640-4N3	1

5W5 Female




8W8 Female



<u>|</u>]\_\_\_

17W2 Male/Female



10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2

CURRENT RATING / ØA



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.















13W3 Male






25W3 Male





24.77



31.75

36W4 Female



13W6 Male





0.50

2.77

22,16

20.78

13W6 Female

13W3 Female

.X±0.25.XX±0.13.XXX±0.05

## 43W2 Female




17W5 Male


COMPLIANT













20.70

13.72

PCB EDGE



PCB EDGE



		SW REFERENCE NO.: 630 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES	EDAC INC TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-17V	/2640-4N3	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 630-17V	/2640-4N3	1