


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)


ORIGINAL











MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19		
			DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-3WK	3622-2N2	ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-3WK	3622-2N2	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






21W4 Male/Female




27W2 Male/Female



21W1 Male/Female




		11W1 Male/Female	:
e 8W	'8 Female	33.30 16.65 9.70 8.31	-
	$ \begin{array}{c}                                     $		
		17W2 Male/Female	1
CURRENT RATING / $\phi$	A		
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			
			SW REFERE
	COMBINA	COMBINATION D-SUB	
			CHECKED:
THIS SERIES FULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.		TARIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING N
ZUTINUJEU FUR RUND GUMPLIANGT.	YOUR CONNECTION TO QUALITY & SER'	MANUFACTURE OR SALE OF APPARATUS	




5W5 Male


5W5 Female

COMPLIANT



8W8 Male





WITHOUT WRITTEN PERMISSION.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.





9W4 Male




25W3 Male




23.53 14.51 9.70 7.79 김 영




36W4 Female





13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

COMBINATIO

EDAC INC

TORONTO, ONTARIO CANADA

.X ±0.25 .XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female




43W2 Female


47W1 Female



17W5 Male



47W1 Male



YOUR CONNECTION TO QUALITY & SERVICE



22,15

2.77

ON D-SUB		SW REFERENCE NO.: 628 C	OMBO ASSEMBLY
		DRAWN: C.B	DATE: JAN. 01/2019
		CHECKED:	DATE:
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND		SCALE: N.T.S	SHEET 4 OF 4
)	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-3WK3622-2N2 IS	
	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-3WK	3622-2N2 1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.