

-Delivered with Souriau contacts and Accessories

: 46.72 g ± 10%

17

-

G

Ζ

08

S

F

Е

: -65°C to +175°C -Temperature Range

: 500 hours -Salt Spray

-Mass

\_

BASIC SERIES: 8D 7 SHELL TYPE : Jam nut Receptacle CONTACT TYPE : Standard Crimp Contact SHELL SIZE : 17

PLATING : Z = Black Zinc Nickel

Н

NA ORIENTATION : E **SOURIAU** 

CONTACT LAYOUT : 17-08

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU due to the Specifica (pr

01-10-2016 First Release

DATE

TITLE

А

ISS

Designed By:

SCALE

FORMAT

Α3

D

0		Ξ		A		
						4
LAYOUT S	HOWN AS EXA	MPLE				3
SOURIAU shall not be liable for any non-conformity or damage due to a use of the Products which does not comply with the Specifications issued by either of the Parties or by a third party (professional recommendation, technical notice.) $\frac{Country \qquad Jurisdiction \& Control List \\\hline FR \qquad Not Listed}$ <b>PN: 8D717Z08SE</b>						
irst Release Latest modification - by					MOD N°	
Date:	uminium l	Receptac		AER DRAWING		
	heral linear blerances: ±	DM NPRDS / PROJECT 859 This document is the property of SOURIAU it must not be reproduced or			1	
SOURIAU DRG N° 8D717Z08SE-C				nunicated without pe		
С		В		А		

	<b>ב</b>			0	B	
	Contact Layout			Panel cutout		
4	$-x \qquad \bigoplus_{G \oplus \\ G \oplus \\ F \oplus \\ E \oplus \\ E \oplus \\ G \oplus \\ $			JAM NUT RECEPTACLE (TYPE 7)		4
	Contacts (Insert arrangement 17-8)       Contacts position ID       Location       X-axis (mm)     Y-axis (mm)       A     +.000 (0.00)     +.236 (5.99)       B     +.128 (3.25)     +.086 (2.18)       C     +.230 (5.84)    078 (1.98)       D     +.094 (2.39)    216 (5.49)			ØC		
ω	E    094 (2.39)    216 (5.49)       F    230 (5.84)    078 (1.98)       G    128 (3.25)     +.086 (2.18)       H     +.000 (0.00)    052 (1.32)       Shell     Arrangement no.     Number of contacts     Size contacts     Service rating     Contact location     Supersedes       17     -8     8     16     II     All     MS20053-8			Dim     Nominal       B     30.73+0/-0.25       ØC     32.01+0.25/-0		3
				SOURIAU shall not be liable for any not due to a use of the Products which o	does not comply with	
				the Specifications issued by either of the (professional recommendation, Country		
N				PN: 8D717Z0	Not Listed	2
			A 01-10-2016	0-2016 First Release		
_			ISS DATE Designed By:	Latest modification - by Date:	MOD N° CUSTOMER DRAWING	
		TITLE Aluminium Receptacle 8D series				
<u> </u>			SCALE - NA	General linear Tolerances: ±	NPRDS / PROJECT <b>859</b>	1
			SOURIAU	WWW.SOURIAU.COM	This document is the property of SOURIAU it must not be reproduced or communicated without permission	
			FORMAT A3	SOURIAU DI 8D717Z08		_
L	H G	F E	D	C	B A	