



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



**ISSUE NUMBER** ORIGINAL

(1)





NOTES:

MATERIAL:

.X ±0.25

.XX ±0.13 .XXX ±0.05

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 5µ GOLD PLATING


**OPERATING TEMPERATURE:** 

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC

WITHSTANDING VOLTAGE:

			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION D-SUB				DATE: JAN. 01/20	)19
			CHECKED:		DATE:	
	EDAC INC	ARE THE PROPERTY OF EDACING, AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: (IN C.A.D. 1	:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W17W2124-1N5		ISSUE	
YOUR CONNECTION TO	QUALITY & SERVICE		PART NUMBER:	627W17W	V2124-1N5	1






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



**ISSUE NUMBER** THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05






3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





 $\overline{(1)}$ 


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



	<u>277</u> \$\$			
	SW REFERENCE NO.: 627 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:	
EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 3 OF	4
		DRAWING NUMBER: 627W17V	627W17W2124-1N5	
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W17V	V2124-1N5	1

5W5 Male

5W5 Female



47.05

23.53

CURRENT RATING / ØA 10A / 2.2 20A / 3.3


> 30A / 3.7 40A / 4.2

8W8 Male

8W8 Female


31.76

22.83





11W1 Male/Female



17W2 Male/Female

8.31

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male










47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 627 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 627W17	V2124-1N5	ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W17W2124-1N5		

.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

