


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
CE	16	C	ECR-14-011637	22AUG2014	HZ RZ

1. MAXIMUM CABLE ASSEMBLY LOSS IS 1.0dB.
2. PRODUCT AND PROCESSING MUST MEET REQUIREMENTS OF TE STANDARD TEC-138-702.



6457049-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.S.VASU	24 SEP 05		TE Connectivity		
DIMENSIONS: METERS [INCHES]		CHK	J.DUNCAN	24 SEP 05		NAME		
		APVD	J.DUNCAN	24 SEP 05		LC LOOPBACK, FIBER OPTIC, 50/125 MULTIMODE		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		-				
0 PLC ± -		APPLICATION SPEC		-				
1 PLC ± -		WEIGHT		-				
2 PLC ± -		MATERIAL		-				
3 PLC ± -		FINISH		-				
4 PLC ± -		CUSTOMER DRAWING		-				
ANGLES ± -		SCALE		NTS		SHEET 1 of 1		
MATERIAL		WEIGHT		A2 00779		REV C		
FINISH		CUSTOMER DRAWING		C-6457049		RESTRICTED TO		