| ABBOCIATION CONNECTING<br>ELECTRONICS INDUSTRIES®<br>Material Comp<br>© Copyright 2005. Il<br>international and Par | PC, Bannock   | burn, Illinois. A         | ll rights reserved un ntions. | nder both       | This docum<br>level parts, t | ent is a declar<br>the declaration                              | ation of the s              | substances<br>es all lowe | within the manu<br>r level materials | afacturer listed<br>for which the | l item. N<br>manufa             | lote: if the | e item is an ass<br>s engineering re | embly with lower<br>esponsibility. |  |
|---|---|---------------------------|-------------------------------|-----------------|------------------------------|---|-----------------------------|---------------------------|--------------------------------------|-----------------------------------|---------------------------------|--------------|--------------------------------------|------------------------------------|--|
|   | IPC Web Site for Information on IPC-1752 Standard Form Type<br>http://www.ipc.org/IPC-175x Distribute |                           |                               |                 | *                            | Declaration Class *<br>Class 6 - RoHS Yes/No, Homogeneous Mater |                             |                           |                                      |                                   | als and Mfg Information         |              |                                      |                                    |  |
| Supplier Information  |   |                           |                               |                 |                              |   |                             |                           |                                      |                                   |                                 |              |                                      |                                    |  |
| Company name* Com   |   |                           | Company unique ID I           |                 |                              | Unique ID Authority   |                             |                           |                                      |                                   | Response Date*                  |              |                                      |                                    |  |
| onsemi  |   |                           |                               |                 |                              |   |                             |                           |                                      | 2023-0                            | 2023-06-08                      |              |                                      |                                    |  |
| Contact Name Title - Contact  |   |                           | et                            | Pho             |                              |   | Phone - Contact*            |                           |                                      |                                   | Email - Contact*                |              |                                      |                                    |  |
| Product-Env-Stewards Pro  |   |                           | Product Enviro Compliance     |                 |                              | NA  |                             |                           |                                      | Produ                             | Product-Env-Stewards@onsemi.com |              |                                      |                                    |  |
| Authorized Representative* Title  |   |                           | Fitle - Representative 1      |                 |                              | Phone - Representative*   |                             |                           |                                      | Email                             | Email - Representative*         |              |                                      |                                    |  |
| Product-Env-Stewards  | Product Envi  | Product Enviro Compliance |                               |                 | NA                           |   |                             |                           | Produ                                | Product-Env-Stewards@onsemi.com   |                                 |              |                                      |                                    |  |
| Requester Item Number   | Mfr Iter  | n Number                  | Mfr Item Name                 |                 |                              | Effective Da  | te Version                  | ion Manufacturing Site    |                                      | lite                              | Weigh                           | ıt*          | UOM                                  | Unit Type                          |  |
|   | M74LC<br>G  | M74LCX16373DTR2 LOG CMOS  |                               | MOS LATCH 16BIT |                              | 2023-06-08  |                             | 1                         | PH1                                  |                                   | 192.45                          | 5            | mg                                   | Each                               |  |
| Manufacturing Proccess Informa  | ion   |                           |                               |                 |                              |   | ·                           | ·                         |                                      |                                   |                                 |              |                                      |                                    |  |
| Terminal Plating / Grid Array Ma  | terial  | Terminal Base Alloy       |                               | -STD-020 MS     | MSL Rating P                 |   | Peak Process Body Temperatu |                           | ure Max Time at Peak Temper          |                                   | rature Number of Reflow Cycles  |              | es                                   |                                    |  |
| Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)   |   | CU Alloy 1                |                               |                 |                              | 260   |                             | С                         | 30                                   | 30 seco                           |                                 | conds 3      |                                      |                                    |  |
| Comments  |   |                           |                               |                 |                              |   |                             |                           |                                      |                                   |                                 |              |                                      |                                    |  |
| evel 1 - maximum time at peak temperatu   | re during so  | oldering is 10-3          | 0 seconds                     |                 |                              |   |                             |                           |                                      |                                   |                                 |              |                                      |                                    |  |
| or more information regarding material  | composition   | please refer to           | page 3                        |                 |                              |   |                             |                           |                                      |                                   |                                 |              |                                      |                                    |  |

| RoHS Material Composition Declaration  |   |  |   | Declaration Type *                              | Detailed  |  |  |  |  |  |  |  |
|--|---|--|---|---|---|--|--|--|--|--|--|--|
| Directive 2015/863/EU amending RoHS<br>Directive 2011/65/EU  | RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). |  |   |   |   |  |  |  |  |  |  |  |
| cadmium, hexavalentchromium, polybrominate<br>contains a RoHS restricted substance inexcess<br>encompass all such components. Supplier certif<br>as of the date that Supplier completes this form<br>Company acknowledges that Supplier may hav<br>independently verified information provided by<br>certification in this paragraph. If the Company a | ed biphenyls and/or polybrominated dip<br>of an applicable quantity limit, please ir<br>ies that it gathered the information it pro-<br>.Supplier acknowledges that Company<br>e relied on informationprovided by othe<br>v others, Supplier agrees that, at a minin<br>and the Supplier enter into a written agre<br>pource of the Supplier's liability and the  | henyl ethers (each a "<br>ndicate below which, i<br>ovides in this form us<br>will rely on this certifiers<br>in completing this<br>num, itssuppliers have<br>eement with respect to<br>Company's remedies | RoHS restricted substance") in exce<br>if any, RoHS exemption you believe<br>ing appropriate methods to ensure if<br>ication in determining the complian<br>form, and that Supplier may not have<br>e provided certifications regarding the<br>to the identified part, the terms and co<br>for issues that arise regarding inform | ce of its products with European Union membe    | ove. If a homogeneous material within the part<br>er level components, the declaration shall<br>l correct to the best of its knowledge and belief,<br>r state laws that implement the RoHS Directive.<br>wever, in situations where Supplier has not<br>tions are at least as comprehensive as the<br>anty rights and/or remedies provided as part of |  |  |  |  |  |  |  |
| RoHS Declaration * 1 - Item(s)   | does not contain RoHS restricted substa   | on above   | Supplier Acceptance   | * Accepted                                      |   |  |  |  |  |  |  |  |
| Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.  |   |  |   |   |   |  |  |  |  |  |  |  |
| Exemption List Version   | EL-2011/534/EU  |  |   |   |   |  |  |  |  |  |  |  |
| Declaration Signature  |   |  |   |   |   |  |  |  |  |  |  |  |
| Instructions: Complete all of the required fin<br>Requester) and click on Submit Form to have  | elds on all pages of this form. Select the form returned to the Requester   | he "Accepted" on th  | e Supplier Acceptance drop-down   | . This will display the signature area. Digital | lly sign the declaration (if required by the  |  |  |  |  |  |  |  |
| Supplier Digital Signature Ra  | stislav Drska   | Le   |   |   |   |  |  |  |  |  |  |  |

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

| sigma range of distribution unless otherwise noted). |        |                 |          |                            |                  |        |          |                 |  |
|--|--------|-----------------|----------|----------------------------|------------------|--------|----------|-----------------|--|
| Homogeneous Material                                 | Weight | Unit of Measure | Level    | Substance                  | CAS              | Exempt | Weight   | Unit of Measure |  |
| Die  | 2.3    | mg              | Supplier | Silicon (Si)               | 7440-21-3        |        | 2.3      | mg              |  |
| Die Attach   | 3.83   | mg              | Supplier | Silver (Ag)                | 7440-22-4        |        | 2.8725   | mg              |  |
|  |        |                 | Supplier | Epoxy resins               | 129915-35-1      |        | 0.9575   | mg              |  |
| Lead Frame   | 60.05  | mg              | Supplier | Iron (Fe)                  | 7439-89-6        |        | 1.1409   | mg              |  |
|  |        |                 | Supplier | Copper (Cu)                | 7440-50-8        |        | 58.909   | mg              |  |
| Mold Compound-Black                                  | 117.21 | mg              |          | Epoxy resin                | proprietary data |        | 5.8605   | mg              |  |
|  |        |                 | Supplier | Phenolic Resin             | Proprietary Data |        | 5.8605   | mg              |  |
|  |        |                 | Supplier | Ortho Cresol Novolac Resin | 29690-82-2       |        | 2.3442   | mg              |  |
|  |        |                 | Supplier | Carbon Black (C)           | 1333-86-4        |        | 0.586    | mg              |  |
|  |        |                 | Supplier | Fused Silica (SiO2)        | 60676-86-0       |        | 102.5587 | mg              |  |
| Plating  | 7.91   | mg              | Supplier | Palladium (Pd)             | 7440-05-3        |        | 0.6012   | mg              |  |
|  |        |                 | В        | Nickel (Ni)                | 7440-02-0        |        | 7.1981   | mg              |  |
|  |        |                 | Supplier | Gold (Au)                  | 7440-57-5        |        | 0.1107   | mg              |  |
| Wire Bond - Au                                       | 1.15   | mg              | Supplier | Gold (Au)                  | 7440-57-5        |        | 1.15     | mg              |  |

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signar range of distribution unless otherwise noted)