





LOC		DIST		REVISIONS			
AD	OO	REV	DESCRIPTION	DATE	BY	APPV	
E1	ECO	06	016522	25AUG06	BSV	JO	
E2	REVISED	PER	ECO-09-022424	21SEP09	KK	AEG	



- 1 FINISH: ENTIRE CONTACT TO BE NICKEL PLATED (.00127[.000050] THICK) WITH .000762[.000030] GOLD ON CONTACT AREA AND TIN-LEAD ON SOLDER TAIL.
- 2 POINT-OF-MEASUREMENT OF PLATING THICKNESS.
- 3 RECESSED DATE CODE AND CSA LOGO AT BASE OF HOUSING.
- 4 FINISH: ENTIRE CONTACT TO BE NICKEL PLATED 0.00127(.000050) THICK WITH 0.000762(.000030) GOLD ON CONTACT AREA AND 0.00254-0.00508(.000100-.000200) MATTE TIN ON SOLDER LEADS.
- 5 ROHS 2002/95/EC COMPLIANT.
- 6 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



6	OBSOLETE	1,2,3,4,5,6,7,8	4	45.21 [1.780]	43.18 [1.700]	13	42	5-535961-1
		1,2,3,4,5,6,7,8	1	45.21 [1.780]	43.18 [1.700]	13	42	535961-1
		ROW "O"						
		SELECT LOADED .498 LONG POST	FINISH	C	B	A	NO OF POSN	PART NUMBER

METRIC

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN KATE HELM 29MAR90	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
0 PLC ± -	1 PLC ± -	CHK D SARVER 23APR90	
2 PLC ± -.13[.005]	3 PLC ± -	APPV D SARVER 23APR90	NAME
4 PLC ± -	ANGLES ± -		PRODUCT SPEC
			HDR ASSY, MOD II, RIGHT ANGLE, 3 ROW, .100 CL, .025 SQUARE SOLDER POST
MATERIAL: HEADER - BLACK GLASS FILLED NYLON CONTACT - COPPER ALLOY	FINISH: 1 4	SIZE: A1	SCALE: 4:1
		WEIGHT: -	SHEET 1 OF 1
		CUSTOMER DRAWING	REV E2