
THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.






(1)

ORIGINAL





NOTES:


MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


.X ±0.25 .XX ±0.13

.XXX ±0.05

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms




					SW REFERENCE NO.: 630 COMBO ASSEMBLY						
					DRAWN: C.B		DATE: JAN. 01/2019		19		
				CHECKED:		DATE:					
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	(IN C.A.D. 1	1)	SHEET	1	OF	4	
		TORONTO, ONTARIO CANADA O QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 630-11W1640-2TB				ISSUE			
YOUR CO	DNNECTION TO QUA			PART NU	MBER:	630-11W1	640-2TB			1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






**ISSUE NUMBER** 


 $\overline{(1)}$ 



5W5 Female









27W2 Male/Female

21W4 Male/Female



21W1 Male/Female



					SW REFERENCE NO.: 630 COMBO ASSEMBLY					
					DRAWN: C.B		DATE: JAN. 01/2019			
				CHECKED:		DATE:				
		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S		SHEET 3	OF	4		
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 630-11W1		1640-2TB		ISSUE			
YC	OUR CONNECTION TO	QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	630-11W	1640-2TB		1		


23.53

PCB EDGE




CURRENT RATING / ØA

10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2



17W2 Male/Female



PCB EDGE


THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.


PCB EDGE



PCB EDGE








POB EDGE

11W1 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.

















13W3 Male





25W3 Male






PCB EDGE


PCB EDGE

24,77

36W4 Female



13W6 Male





22.18

2.77

20.78

13W6 Female

13W3 Female

.X ±0.25 .XX

±0.13 .XXX ±0.05

## 43W2 Female





17W5 Male













20.70

13.72

PCB EDGE



31.75





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

EDAC INC TORONTO, ONTARIO CANADA X010 CONNECTION TO CIVILIZIO SERVICE			
	YOUR CONNECTION TO	TORONTO, ONTARIO CANADA	THESE DRAWINGS AI ARE THE PROPERTY SHALL NOT BE REPR OR USED AS THE BAS MANUFACTURE OR S WITHOUT WRITTEN F

COMBINATION D-SUB

AND SPECIFICATIONS Y OF EDAC INC.,AND RODUCED,OR COPIED ASIS FOR THE SALE OF APPARATUS PERMISSION.

PCB EDGE						
SW REFERENCE NO.: 630 COMBO ASSEMBLY						
DRAWN: C.B	DATE: JAN. 01/2019					
CHECKED:	DATE:					
SCALE: N.T.S	SHEET 4 OF 4					
DRAWING NUMBER: 630-11	V1640-2TB ISSUE					
PART NUMBER: 630-11V	V1640-2TB 1					