ASSOCIATION CONNEC	© Copyright 2005. II	Material Composition Declaration © Copyright 2005. IPC, Bannockburn, Illinois. All rights reserved under both international and Pan-American copyright conventions.				This document is a declaration of the substances within the manufacturer listed item. Note: if the item is an assembly with low level parts, the declaration encompasses all lower level materials for which the manufacturer has engineering responsibility.									
752-21.1		IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute									us Materia	als and Mfg	Informati	on	
Supplier Info	rmation						·								
Company name*			Company unique ID			ī	Unique ID Authority					Response Date*			
nsemi												2023-06-08			
Contact Name		Title - Contact			I	Phone - Contact*					Email - Contact*				
Product-Env-Ste	ewards	Product Enviro Compliance				NA					Product-Env-Stewards@onsemi.com				
uthorized Repr	esentative*	Title - Representative			1	Phone - Representative*				Email - Representative*					
Product-Env-Stewards			Product Enviro Compliance				NA				Product-Env-Stewards@onsemi.com				
Reque	ester Item Number	Mfr Iten	m Number Mfr Item Name				Effective Dat	e Versio	on I	Manufacturing Site		W	eight*	UOM	Unit Type
		NOIS1SM0250A- STAR250 JLCC		84		2023-06-08 BE6		BE6	7626.98		26.98	mg	Each		
<b>Ianufacturin</b>	ng Proccess Informat	tion													
Termir	l Plating / Grid Array Material		Terminal Base Alloy J		J-STD-020 M	SL Rating	Peak Pro	ak Process Body Temperature		e Max Tim	ne at Peak Temperat		re Number of Reflow Cycles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		dAu) (no	CU Alloy 1		1		260		C 30		seco		3		
Comments															
vel 1 - maximur	m time at peak temperatu	re during so	oldering is 10-3	30 seconds											
or more inform	ation regarding material	composition	please refer to	page 3											

RoHS Material Composition Declaration			Declaration Type *	Detail	led						
Directive 2015/863/EU amending RoHS Directive 2011/65/EU  RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybromir contains a RoHS restricted substance inexce encompass all such components. Supplier ce as of the date that Supplier completes this fo Company acknowledges that Supplier may l independently verified information provided certification in this paragraph. If the Compan	nated biphenyls and/or polybrominated dipless of an applicable quantity limit, please intifies that it gathered the information it prome. Supplier acknowledges that Company have relied on information provided by other by others, Supplier agrees that, at a mining and the Supplier enter into a written agree esource of the Supplier's liability and the	henyl ethers (each a "RoHS restricted substational substance below which, if any, RoHS exemption by desired in this form using appropriate method will rely on this certification in determining ters in completing this form, and that Supplies have provided certification between the will respect to the identified part, the Company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects to the identified part, the company's remedies for issues that arise respects the company is the co	ws of the European Union member states) of the pnce") in excess of the applicable quantity limit ide in you believe may apply. If the part is an assembly is to ensure its accuracy and that such information the compliance of its products with European Union may not have independently verified such informs regarding their contributions to the part, and tho terms and conditions of that agreement, including the provides in this formation information the Supplier provides in this formation.	entified above. If a y with lower level is true and correct on member state la nation. However, in se certifications are any warranty rigl	n homogeneous material within the part components, the declaration shall t to the best of its knowledge and belief, aws that implement the RoHS Directive. In situations where Supplier has not the at least as comprehensive as the this and/or remedies provided as part of						
RoHS Declaration * 1 - Item	(s) does not contain RoHS restricted substa	ances per the definition above	Supplier Ac	cceptance *	Accepted						
Exemption: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.											
Exemption List Version	EL-2011/534/EU										
Declaration Signature											
Instructional Complete all of the required	fields on all neggs of this form. Calcut th		a duan dawn. This will display the signature on	a Digitally sign	the declaration (if recurined by the						
Instructions: Complete all of the required Requester) and click on Submit Form to			e drop-down. This will display the signature ar	ea. Digitally sign	the declaration (if required by the						

## **Homogeneous Material Composition Declaration for Electronic Products**

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Ceramic Substrate	4450.0	mg	Supplier	Cobalt (Co)	7440-48-4		75.65	mg
			Supplier	Silver (Ag)	7440-22-4		30.705	mg
			Supplier	Molybdenum (Mo)	7439-98-7		7.12	mg
			Supplier	Tungsten (W)	7440-33-7		136.615	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		293.7	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		3470.5547	mg
			В	Nickel (Ni)	7440-02-0		138.84	mg
			Supplier	Gold (Au)	7440-57-5		27.59	mg
			Supplier	Iron (Fe)	7439-89-6		206.48	mg
			Supplier	Chromium Trioxide (Cr2O3)	1308-38-9		57.405	mg
			Supplier	Copper (Cu)	7440-50-8		5.34	mg
Die	313.78	mg	Supplier	Silicon (Si)	7440-21-3		313.78	mg
Die Attach	1.85	mg	Supplier	Silver (Ag)	7440-22-4		1.5725	mg
			Supplier	Epoxy resins	129915-35-1		0.2775	mg
Glass Attach Epoxy	133.9	mg	Supplier	Bisphenol A_Epichlorohydrin Polymer	25068-38-6		55.6087	mg
			Supplier	4,4'-Diaminodiphenyl Sulfone (DDS-4,4')	80-08-0		21.1562	mg
			Supplier	Filler (SiO2?C2H6Cl2Si)	68611-44-9		52.8102	mg
			Supplier	Carbon Black (C)	1333-86-4		3.6019	mg
			Supplier	Additive	1760-24-3, 2530- 83-8		0.7231	mg
Glass Lid /Cap	2725.0	mg	Supplier	Boron Trioxide (B2O3)	1303-86-2		228.9	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1632.8201	mg
			Supplier	Barium Monoxide (BaO)	1304-28-5		215.82	mg
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		215.82	mg
			Supplier	Calcium Monoxide (CaO)	1305-78-8		431.64	mg
Wire Bond - Al	2.45	mg	Supplier	Aluminum (Al)	7429-90-5		2.45	mg