ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INTERNATION CONNECTING	. Bannockh	ourn, Illinois, A	ll rights reserved untions.	under both	This docume level parts, t	ent is a declaration entities the declaration entities and the declaration entities and the declaration entities and the declaration entities are an entities and the declaration entities are an entities and the declaration entities are an entite are an entities are an entities are an entite are	on of the su	bstances v all lower	vithin the manufactule level materials for v	urer listed which the	item. Note: manufactur	if the item is an as er has engineering	sembly with low responsibility.	
				Form Type Distribute	*	* Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Inform					Afg Informa	ation		
upplier Information														
Company name* Company			pany unique ID			Unique ID Authority				Respon	Response Date*			
onsemi										2023-0	2023-06-08			
Contact Name	t Name Title - Contact					Phone - Contact*				Email	Email - Contact*			
Product-Env-Stewards Product Enviro Co			o Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Authorized Representative* Title - Representative			entative			Phone - Representative*			Email	Email - Representative*				
Product-Env-Stewards Product			oduct Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com			
Requester Item Number	Mfr Item Number		Mfr Item Name			Effective Date	Version	М	Manufacturing Site		Weight*	UOM	Unit Type	
	NCP662	NCP662SQ25T1G ANA LDO LINEA		EAR REG	2023-06-0			М	MY1		7.22	mg	Each	
Ianufacturing Proccess Informatio	n		·					·						
Terminal Plating / Grid Array Mater	ial Terminal Base Alloy J			J-STD-020 MSI	L Rating	Peak Process Body Temperature M			e Max Time at Pea	k Tempera	ture Nun	nber of Reflow Cyc	les	
Matte Tin (Sn) - annealed CU Alloy			1		260		С	30	seco	nds 3				
omments														
vel 1 - maximum time at peak temperature	during sol	dering is 10-3	0 seconds											
or more information regarding material co	mposition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and co for issues that arise regarding inform	ess of the applicable quantity limit identified above may apply. If the part is an assembly with low is accuracy and that such information is true and ce of its products with European Union membe we independently verified such information. How heir contributions to the part, and those certificat and those of that agreement, including any warra	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	(PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl tes) of the part identified on this form contains lead, mercury, ity limit identified above. If a homogeneous material within the part an assembly with lower level components, the declaration shall information is true and correct to the best of its knowledge and belief, ropean Union member state laws that implement the RoHS Directive. such information. However, in situations where Supplier has not art, and those certifications are at least as comprehensive as the t, including any warranty rights and/or remedies provided as part of les in this form. In the absence of such written agreement, the							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	h. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure	
Die	0.13	mg	Supplier	Silicon (Si)	7440-21-3		0.13	mg	
Die Attach	0.08	mg	Supplier	Epoxized Condensate Of Para- Hydrobenzaldehyde And Alkyl Phenol	129915-35-1		0.0256	mg	
			Supplier	Aluminum Trioxide (Al2O3)	1344-28-1		0.0534	mg	
			В	Antimony Pentoxide (Sb2O5)	1314-60-9		0.001	mg	
Lead Frame	1.31	mg	Supplier	Zinc (Zn)	7440-66-6		0.0013	mg	
			Supplier	Iron (Fe)	7439-89-6		0.0301	mg	
			Supplier	Copper (Cu)	7440-50-8		1.2772	mg	
			Supplier	Phosphorus (P)	7723-14-0		0.0013	mg	
Mold Compound-Black	4.49	mg		Epoxy resin	proprietary data		0.211	mg	
			Supplier	Silica Amorphous (SiO2)	7631-86-9		0.449	mg	
			Supplier	Carbon Black (C)	1333-86-4		0.0045	mg	
			Supplier	Fused Silica (SiO2)	60676-86-0		3.6144	mg	
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.211	mg	
Plating	1.19	mg	Supplier	Tin (Sn)	7440-31-5		1.19	mg	
Wire Bond - Au	0.02	mg	Supplier	Gold (Au)	7440-57-5		0.02	mg	

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).