

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE:

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C


POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 627 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W5W	1-224-3N5	ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W5W	1-224-3N5	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

16.5


ļ	. 8.38	.7.84	6.36	
			1 1 W	1 Male/Female
		8W8 Female		
47.05	23.53 14.48 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		22.97	
			17W2	2 Male/Female
	CURRENT RATINO 10A / 2.2	<i>σί</i> φΑ		
	10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		20 1 1 1	47.05 23.03
			COMBINATION	I D-SUB
EUROPE	FULLY CONFORMS TO AN UNION DIRECTIVES OR R₀HS COMPLIANCY.	EDA	EDAC INC TORONTO, ONTARIO CANADA	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF ADRAPATUS

YOUR CONNECTION TO QUALITY & SERVICE


	SW REFERENCE NO.: 627 COMBO ASSEMBLY			
D-SUB	DRAWN: C.B	DATE: JAN. 01/20	19	
	CHECKED:	DATE:		
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 3 OF	4	
SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W5W	1-224-3N5	ISSUE	
MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 627W5W	1-224-3N5	1	


5W5 Male

5W5 Female



8W8 Male






FOR RoHS COMPLIANCY.

1	_	1
		THIS SERIES
	ПФПЭ	THE EUROP
	COMPLIANT	2011/65/EU I





7W2 Male/Female

63.50

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male









36W4 Female



13W3 Male











13W6 Male



43W2 Male






 .X
 ±0.25

 .XX
 ±0.13

 .XXX
 ±0.05


9W4 Female

13W3 Female





47W1 Female




17W5 Male






2.77







	COMBINATION D-SUB		SW REFERENCE NO.: 627 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:		
LLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4
UNION DIRECTIVES RoHS COMPLIANCY.	TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W5W1-224-3N5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 627W5W	1-224-3N5	1



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.