

Mounting Option

07-M3-0.5 Metric Threaded Inserts

Contact Detail

521-P.C. Tail .025 Sq.(0.64 Sq.) - Tail LG=.160(4.06) .100 [2.54] Contact Spacing x .200 [5.08] Row Spacing






See Accompanying Pages for:

- **Contact Bend Details**
- **Mounting Options**



.240 [6.10] Point of Contact-



YOUR CONNECTION TO QUALITY & SERVICE

842 ENG MASTER J.LEE DATE: OCT. 06/09 SHEET 1 OF 3

842 Assembly

SECTION A-A

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER

ORIGINAL (1)



842/892 Series High Temp Card Edge Connector Contact Bend Detail		ACAD REFERENCE NO. 842 ENG MASTER			
		DRAWN:	J.LEE	DATE: OCT. 06/09	
		CHECKED:		DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE:	NTS	SHEET :	2 OF 3
TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING	NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		8	42 Assembly		1

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBER

ORIGINAL

1



842/892 Series High Temp Card Edge Con Mounting Options	nnector ACAD REFERENCE NO. 842 ENG MASTE
EDAC INC THESE DRAWINGS AND SPI	
	uced,or copied drawing number issue
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISS	